Adams, W.J., K.V. Brix, K.A. Cothern, L.M. Tear, R.D. Cardwell, A. Fairbrother and J.E. Toll. 1998. Assessment of selenium food chain transfer and critical exposure factors for avian wildlife species: Need for site-specific data. In: Little, E.E., A.J. DeLonay and B.M. Greenberg, editors. Environmental Toxicology and Risk Assessment, 7th Volume. West Conshohocken, PA (US): ASTM Special Technical Publication 1333. 184p.

Adams, W.J., K.V. Brix, M. Edwards, L.M. Tear, D.K. DeForest and A. Fairbrother. 2003. Analysis of field and laboratory data to derive selenium toxicity thresholds for birds. Environmental Toxicology and Chemistry 22(9):2020-2029.

Adams, W.J., and B.B. Heidolph. 1985. Short-cut chronic toxicity estimates using Daphnia magna. In: Cardwell, R.D., R. Purdy and R.C. Bahner, editors. Aquatic toxicology and hazard assessment: Seventh symposium. ASTM STP 854. Philadelphia, PA (US): American Society for Testing and Materials. p87-103 (cited in USEPA 1987, 2004)

Adriano, D.C. 2001. Trace elements in the terrestrial environment: biogeochemistry, bioavailability and risks of metals. 2nd ed. New York, NY (US): Springer-Verlag Inc. 871p.

[ATSDR] Agency for Toxic Substances and Disease Registry. 2003. Toxicological profile for selenium. Atlanta, GA (US): US Department of Health and Human Services, Public Health Service. 457p. Accessed on-line at http://www.atsdr.cdc.gov/toxprofiles/tp92.pdf

[AENV] Alberta Environment. 1999. Surface water quality guidelines for use in Alberta.

Edmonton, AB (CA): Science and Standards Branch. 25p. Accessed on-line at http://www.gov.ab.ca/env/protenf/publications/SurfWtrQual-Nov99.pdf

Agarwal P, Sharma S, Agarwal US. Selenium toxicity: A rare diagnosis. Indian J Dermatol Venereol Leprol [serial online] 2016 [cited 2021 Jan 6];82:690-3. Available from: <u>https://www.ijdvl.com/text.asp?2016/82/6/690/186476</u>

Alexander, A.R., P.D. Whanger and L.T. Miller. 1983. Bioavailability to rats of selenium in various tuna and wheat products. Journal of Nutrition 113:196-204.

Ambient Water Quality Guidelines for Selenium Technical Report Update 2014 Water Protection and Sustainability Branch Environmental Sustainability and Strategic Policy Division British Columbia Ministry of Environment J.M. Beatty and G.A. Russo ISBN 978-0-7726-6740-3

[ASTM] American Society for Testing and Materials. 2005. ASTM E857 - 05e1 Standard practice for conducting sub-acute dietary toxicity tests with avian species. West Conshohocken, PA (US): ASTM International.

Anastasia, J.R., S.G. Morgan and N.S. Fisher. 1998. Tagging crustacean larvae: Assimilation and retention of trace elements. Limnology and Oceanography 43(2):362-368.

Anderson, A-M., R. Crosley, F.P. Dieken, D.S. Lucyk and S. Wu. 1994. Multi-media monitoring of trace metals and pesticides in the Battle River 1989-1990. Edmonton, AB (CA): Alberta Ministry of Environment. 93p. Accessed on-line at http://environment.gov.ab.ca/info/library/7994.pdf

Andrahennadi, R., M. Wayland and I.J. Pickering. 2007. Speciation of selenium in stream insects using x-ray absorption spectroscopy. Environmental Science and Technology 41:7683-7687.

[ANZECC] Australia New Zealand Environment and Conservation Council. 2000. Australian and New Zealand Guidelines for fresh and marine water quality 2000. Perth, AU: Australian and New Zealand Environment and Conservation Council, and the Agriculture and Resource Management Council of Australia and New Zealand. Accessed on-line at http://www.mfe.govt.nz/publications/water/anzecc-water-quality-guide-02/anzecc-water-quality-guide-02-pdfs.html

[ANZFA] Australia New Zealand Food Authority. 1992. Australian food standards code.

ANZFA Act. Canberra, AU: Department of Agriculture and Fisheries and Forestry. (cited in Barwick and Maher 2003)

Barnhart, R.A. 1957. Chemical factors affecting the survival of game fish in a western Colorado reservoir. MSc. thesis. Fort Collins, CO (US): Colorado State University. 1957. (cited in Skorupa 1998)

Barnthouse, L.W. G. W. Suter II, A.E. Rosen and J.J. Beauchamp. 1987. Estimating responses of fish populations to toxic contaminants. Environmental Toxicology and Chemistry 6(10):811-824.

Barceloux, D.G. 1999. Selenium. Clinical Toxicology 37(2):145-172.

Barwick, M., and W. Maher. 2003. Biotransference and biomagnification of selenium, copper, cadmium, zinc, arsenic and lead in a temperate seagrass ecosystem from Lake Macquarie Estuary, NSW, Australia. Marine Environmental Research 56:471-502.

[BEAK] BEAK International Incorporated. 2002. Literature review of environmental toxicity of mercury, cadmium, selenium and antimony in metal mining effluents. Ottawa ON (CA): Natural Resources Canada, Toxicological Investigations into Mining Effluents Program. 89p.

Beatty J.M. and Russo G.A. Ambient Water Quality Guidelines for Selenium Technical Report Update 2014 Water Protection and Sustainability Branch Environmental Sustainability and Strategic Policy Division British Columbia Ministry of Environment ISBN 978-0-7726-6740-3

https://www2.gov.bc.ca/assets/gov/environment/air-land-water/water/waterquality/water-qualityguidelines/approved-wqgs/bc_moe_se_wqg.pdf

Beckon, W.N., C. Parkins, A. Maximovich and A.V. Beckon. 2007. A general approach to modeling biphasic relationships. Environmental Science and Technology 42:1308-1314.

Beckon, W., O. Kozak and O. Kravchenko. 2010. Trophic transfer of selenium and metals: Does regulation occur in food chains? In: Proceedings of the SETAC; 2010 Nov 8-11; Portland OR (US). Abstract for poster available on-line at <u>www.setac.org</u>

Bergeron, C.M., C.M. Bodinof, J.M. Unrine and W.A. Hopkins. 2010. Bioaccumulation and maternal transfer of mercury and selenium in amphibians. Environmental Toxicology and Chemistry 29(4):989-997.

Besser, J.M., J.N. Huckins, E.E. Little and T.W. La Point. 1989. Distribution and bioaccumulation of selenium in aquatic microcosms. Environmental Pollution 62:1-12.

Besser, J.M., T. J. Canfield and T.W. La Point. 1993. Bioaccumulation of organic and inorganic selenium in a laboratory food chain. Environmental Toxicology and Chemistry 12:57-72.

Besser, J.M., W.G. Brumbaugh, D.M. Papoulias, C.D. Ivey, J.L. Kunz, M. Annis, and C.G. Ingersoll. 2012. Bioaccumulation and toxicity of selenium during a life-cycle exposure with desert pupfish (*Cyprinodon*

macularius). Reston, VA (US): U.S. Geological Survey Scientific Investigations Report 2012-5033. 30p. + appendices.

Biosson, F., M. Gnassia-Barelli and M. Romeo. 1995. Toxicity and accumulation of selenite and selenate in the unicellualr marine alga *Cricosphaera elongata*. Archives of Environmental Contamination and Toxicology 28:487-493.

Bittman, S., O. Schmidt and T.N. Cramer. 1999. Advanced forage management - A production guide for coastal British Columbia and the Pacific Northwest. Agassiz BC (CA): Pacific Field Corn Association. 92p.

Bjerregaard, P., S. Fjordside, M.G. Hansen and M.B. Petrova. 2011. Dietary selenium reduces retention of methyl mercury in freshwater fish. Environmental Science and Technology 45(22):9793-9798.

Bowie, G.L., J.G. Sanders, G.F. Riedel, C.C Gilmour, D.L. Breitburg, G.A. Cutter and D.B. Porcella. 1996. Assessing selenium cycling and accumulation in aquatic ecosystems. Water, Air and Soil Pollution 90:93-104.

Brasher, A.M., and R.S. Ogle. 1993. Comparative toxicity of selenite and selenate to the amphipod Hyalella azteca. Archives of Environmental Contamination and Toxicology 24:182-186.

Brewer, R., M. Sekela, S. Sylvestre, T. Tuominen and G. Moyle. 1998. Contaminants in bed sediments from 15 reaches of the Fraser River basin. Vancouver, BC (CA): Aquatic and Atmospheric Sciences Division, Environmental Conservation Branch, Pacific and Yukon Region, Environment Canada. 249p.

[BC MoE] British Columbia Ministry of Environment. 2006. Compendium of working water quality guidelines for British Columbia. 2006. Victoria, BC (CA): BC Ministry of Environment, Lands and Parks. Accessed on-line at http://www.env.gov.bc.ca/wat/wq/BCguidelines/working.html

[BC MoE] British Columbia Ministry of Environment. 2012a. Derivation of water quality guidelines to protect aquatic life in British Columbia. Victoria, BC (CA): Ministry of Environment, Science and Information Branch. 32p. Accessed on-line at http://www.env.gov.bc.ca/wat/wq/pdf/wq-derivation.pdf

[BC MoE] British Columbia Ministry of Environment. 2012b. Water and air baseline monitoring guidance document for mine proponents and operators. Victoria, BC (CA): Ministry of Environment. 194p.Accessed online at <u>http://www.env.gov.bc.ca/wat/wq/wq_procedure.html</u>

[BC MoE] British Columbia Ministry of Environment. 2013. Guidance for the derivation and application of water quality objectives in British Columbia. Victoria, BC (CA): Ministry of Environment, Water Protection and Sustainability Branch. 146p. Accessed on-line at http://www.env.gov.bc.ca/wat/wq/pdf/wqo_2013.pdf

Brix, K.V., D.K. DeForest, A. Fairbrother and W.J. Adams. 2000. Critical review of tissue-based toxicity thresholds for fish and birds. Proceedings of the 24th Annual British Columbia Mine Reclamation Symposium; 2000 June 21-22; Williams Lake, BC (CA): British Columbia Technical and Research Committee on Reclamation (TRCR). Accessed on-line at https://circle.ubc.ca/handle/2429/6934

Brix, K.V., J.S. Volosin, W.J. Adams, R.J. Reash, R.G. Carlton and D.O. McIntyre. 2001.

Effects of sulfate on the acute toxicity of selenate to freshwater organisms. Environmental Toxicology and Chemistry 20(5):1037-1045.

Brix, K.V., D. K. DeForest, R.D. Cardwell and W.J. Adams. 2004. Derivation of a chronic site- specific water quality standard for selenium in the Great Salt Lake, Utah, USA. Environmental Toxicology and Chemistry 23(3):606-612.

Bringmann, G., and R. Kuhn. 1977. Results of the damaging effect of water pollutants on *Daphnia magna*. Zeitschrift für Wasser und Abwasserforschung (Journal of Water and Wastewater Research) 10:161-166. (cited in Nagpal and Howell 2001)

Brodberg, R.K., and G.A. Pollock. 1999. Prevalence of selected target chemical contaminants in sport fish from two California lakes: Public health designed screening study. Sacramento, CA (US): California Environmental Protection Agency, Office of Environmental Health Hazard Assessment. 28p. Accessed on-line at http://oehha.ca.gov/fish/pdf/Cx8258.pdf

Brooke, L.T., D.J. Call, S.L. Harting, C.A. Lindberg, T.P. Markee, D.J. McCauley and S.H. Poirier. 1985. Acute toxicity of selenium (IV) and selenium (VI) to freshwater organisms. Superior, WI (US): University of Wisconsin-Superior, Centre for Lake Superior Environmental Studies. (cited in USEPA 1987, 2004).

Brown, K.R., and J.R Arthur. 2001. Selenium, selenoproteins and human health: A review.

Public Health and Nutrition 4(2B):593-599.

Brozmanová, J. D. Mániková, V. Vlčková, M. Chovanec . 2010. Selenium: a double-edged sword for defense and offence in cancer. Archives of Toxicology 84(12):919-938.

Bryan, A.L. Jr., W.A. Hopkins, J.A. Baionno and B.P. Jackson. 2003. Maternal transfer of contaminants to eggs in common grackles (*Quiscalus quiscala*) nesting on coal fly ash basins. Archives of Environmental Contamination and Toxicology 45:273-277.

Buhl, K.J., and S.J. Hamilton. 2000. The chronic toxicity of dietary and waterborne selenium to adult Colorado pikeminnow (*Ptychocheilus lucius*) in a water quality simulating that in the San Juan River. Yankton, SD (US): National Irrigation Water Quality Program. 112p.

Burger, J., C.T. Nisbet and M. Gochfeld. 1994. Heavy metal and selenium levels in feathers of known-aged common terns (*Sterna hirundo*). Archives of Environmental Contamination and Toxicology 26:351-355.

Burnett-Seidel, C., and K. Liber. 2012. Evaluation of sediment quality guidelines derived using the screeninglevel concentration approach for application at uranium operations in Saskatchewan, Canada. Environmental Monitoring and Assessment 184:1593-1602.

Cahill, T.A., and R.A. Eldred. 1998. Particulate selenium in the atmosphere. In: Frankenberger, W.T., and R.A. Engberg, editors. Environmental chemistry of selenium. New York, NY (US): Marcel Dekker, Inc., p.613-632.

Calello, D.P. 2010. Selenium. In:, Goldfrank, L.R., N.E. Flomenbaum, N.A. Lewin, M.A. Howland, R.S. Hoffman, and L.S. Nelson, editors. Goldfrank's toxicologic emergencies. 9th ed. New York, NY (US): McGraw-Hill, p.1316-1320.

[CCME] Canadian Council of Ministers of Environment. 1998. Protocol for derivation of Canadian tissue residue guidelines for the protection of wildlife that consume aquatic biota. In: Canadian environmental quality guidelines. Winnipeg, MB (CA): Canadian Council of Ministers of the Environment. 18p.

[CCME] Canadian Council of Ministers of Environment. 1999. A protocol for the derivation of water quality guidelines for the protection of aquatic life. In: Canadian environmental quality guidelines. Winnipeg, MB (CA): Canadian Council of Ministers of Environment. 10p.

[CCME] Canadian Council of Ministers of Environment. 2005. Canadian water quality guidelines for the protection of agricultural water uses: Summary table. In: Canadian environmental quality guidelines, 1999. Winnipeg MB (CA): Canadian Council of Ministers of Environment. 8p.

[CCME] Canadian Council of Ministers of Environment. 2007a. Canadian environmental quality guidelines for the protection of aquatic life. Summary table. Winnipeg, MB (CA): Canadian Council of Ministers of Environment, Task Force on Water Quality Guidelines. 13p. Accessed on-line at http://st-ts.ccme.ca/

[CCME] Canadian Council of Ministers of Environment. 2007b. A protocol for the derivation of water quality guidelines for the protection of aquatic life 2007. Winnipeg, MB (CA): Canadian Council of Ministers of Environment, Task Force on Water Quality Guidelines. 37p. Accessed on-line at http://ceqg-rcqe.ccme.ca/

[CCME] Canadian Council of Ministers of Environment. 2009. Canadian soil quality guidelines– Selenium. Environmental and human health effects. Scientific criteria document. Winnipeg, MB (CA): Canadian Council of Ministers of Environment. 138p. Accessed on- line at http://www.ccme.ca/assets/pdf/sogg_se_scd_1438.pdf

[CCREM] Canadian Council of Resource and Environment Ministers. 1987. Canadian water quality guidelines. Winnipeg MB (CA): Canadian Council of Resource and Environment Ministers, Task Force on Water Quality Guidelines. 1484p. No longer in publication.

Canton, S.P., and W. D. Van Derveer. 1997. Selenium toxicity to aquatic life: An argument for sediment-based water quality criteria. Environmental Toxicology and Chemistry 16(6):1255-1259.

Canton, S.P., A. Fairbrother, A.D. Lemly, H.M. Ohlendorf, L.E. McDonald and D.D. MacDonald. 2008. Experts workshop on the evaluation and management of selenium in the Elk Valley, British Columbia. Workshop summary report. Nelson, BC (CA): BC Ministry of Environment, Environmental Protection Division, Kootenay & Okanagan Regions. 120p.

Cardin, J.A. 1986. U.S. EPA, Narragansett, RI. Memorandum to D.J. Hansen, U.S. EPA, Narrangansett, RI (US): U.S. Environmental Protection Agency. (cited in USEPA 1987)

Carmicheal, N.B. and P.M. Chapman. 2006. Baseline selenium in sculpins related to the northeast Britich Columiba coal zone. In: Proceedings of the 31st BC Mine Reclamation Symposium; 2006 Sept 18-21; Smithers, BC (CA). 6p. Accessed on-line at

http://www.env.gov.bc.ca/epd/regions/omineca/water/reports/pdf/selenium_sculpins.pdf

Casey, R. 2005 Results of Aquatic studies in the McLeod and Upper Smokey River systems.

Edmonton, AB (CA): Alberta Environment, Science and Standards Section. Publication nr T/785. 72p. Accessed on-line at <u>http://environment.gov.ab.ca/info/library/7745.pdf</u>

Casey, R., and P. Siwik. 2000. Concentrations of selenium in surface water, sediment and fish from the McLeod, Pembina and Smokey Rivers: Results of surveys from fall 1998 to fall 1999. Edmonton, AB (CA): Alberta Environment, Natural Resources Services. 29p.

Accessed on-line at http://environment.gov.ab.ca/info/library/5843.pdf

Cavanagh, N., R.N. Nordin, L.W. Pommen and L.G. Swain. 1998. Guidelines for designing and implementing a water quality monitoring program in British Columbia. Victoria, BC (CA): Ministry of Environment, Lands and Parks, Aquatic Inventory Task Force, Resources Inventory Commission. Accessed on-line at http://archive.ilmb.gov.bc.ca/risc/pubs/aquatic/design/index.htm

CH2M Hill. 2008. Final Report: Development of a selenium standard for the open waters of the Great Salt Lake. Salt Lake City, UT (US): Utah Department of Environmental Quality and the Utah Division of Water Quality. Accessed on-line at

http://www.deq.utah.gov/workgroups/gsl_wqsc/GLS_Selenium_Standards/index.htm

Chapman, P.M. 2007. Selenium thresholds for fish from cold freshwaters. Human and Ecological Risk Assessment 13(1):20-24.

Chen, W. 2000. Initial health risk assessment on selenium in fish. Edmonton, AB (CA): Alberta Health and Wellness, Health Surveillance.

Chen, y.-W., N. Belzile and J.M. Gunn. 2001. Antagonistic effect of selenium on mercury assimilation by fish populations near Sudbury smelters. Limnology and Oceanography 46(7):1814-1818.

Clark, D.R. 1987. Selenium accumulation in mammals exposed to contaminated California irrigation drainwater. Science of the Total Environment 66:147-168.

Clark, D.R., P.A. Ogasawara, G.J. Smith and H.M. Ohlendorf. 1989. Selenium accumulation by racoons exposed to irrigation drainwater at Kesterson National Wildlife Refuge, California, 1986. Archives of Environmental Contamination and Toxicology 18:787-794.

Clark, D.R., K.S. Foerster, C.M. Marn and R.L. Hothem. 1992. Uptake of environmental contaminants by small mammals in pickelweed habitats at San Francisco Bay, California. Archives of Environmental Contamination and Toxicology 22:389-396.

Cleveland, L., E.E. Little, D.R. Buckler and R.H. Wiedmeyer. 1993. Toxicity and bioaccumulation of waterborne and dietary selenium in juvenile bluegill (*Lepomis macrochirus*). Aquatic Toxicology 27:265-280.

[Colorado DPHE] Colorado Department of Public Health and Environment. 2007. Regulation No. 31- The basic standards and methodologies for surface water (5 CCR 1002-31).

Washington DC (US): U.S. Environmental Protection Agency. p 178. Accessed on-line at <u>http://water.epa.gov/scitech/swguidance/standards/wqslibrary/co_index.cfm</u>

Columbia River Treaty Inter-Tribal Commission. 1994. A fish consumption survey of the Umatilla, Nez Perce, Yakama, and Warm Springs Tribes of the Columbia River Basin. Portland, OR (US): CRITFC, Technical Report 94-3. 183p. Accessed on-line at http://www.critfc.org/tech/94-3report.html

Combs, G.F. 2001. Selenium in global food systems. British Journal of Nutrition 85: 517-547.

Conley, J.M., D.H. Funk, N.J. Cariello and D.B. Buchwalter. 2011. Food rationing affects dietary selenium bioaccumulation and life cycle performance in the mayfly *Centroptilum triangulifer*. Ecotoxicology 20(8):1840-1851.

Coughlan, D.J., and J.S. Velte. 1989. Dietary toxicity of selenium-contaminated red shiners to striped bass. Transactions of the American Fisheries Society 118:400-408.

Coulliard, C.M., R.W. Macdonald, S.C. Courtney and V.P. Palace. 2008. Chemical-environment interactions affecting the risk of impacts on aquatic organisms: A review with a Canadian perspective – interactions affecting exposure. Environmental Reviews 16:1-17.

Coyle, J.J., D.R. Buckler, C.G. Ingersoll, J.F. Fairchild and T.W. May. 1993. Effect of dietary selenium on the reproductive success of bluegills (*Lepomis macrochirus*). Environmental Toxicology and Chemistry 12(3):551-565.

Crane, M., T. Flower, D. Holmes and S. Watson. 1992. The toxicity of selenium in experimental freshwater ponds. Archives of Environmental Contamination and Toxicology 23:440-452.

Cumbie, P.M., and S.L. Van Horn. 1978. Selenium accumulation associated with fish mortality and reproductive failure. Proceedings of the 32nd Annual Conference of the Southeastern Association of Fish & Wildlife Agencies; 1978 November 5-7, Hot Springs, VA (US). p.612-624.

Cutter, G.A. 1989. Freshwater systems. In: Occurrence and distribution of selenium. Ihnat, M., editor. Boca Raton, FL (US): CRC Press Inc. p.243-262.

Cutter, G.A., and K.W. Bruland. 1984. The marine biochemistry of selenium: A re-evaluation. Limnology and Oceanography 29(6):1179-1192.

Cutter, G.A, and L.S. Cutter. 2001. Sources and cycling of selenium in the western and equatorial Atlantic Ocean. Deep sea research Part II: Topical Studies in Oceanography 48(13):2917-2931.

Dabeka, R.W. 1994. Unpublished report on selenium and iodine levels in total diet samples. September 17, 1994. Ottawa, ON (CA): Health Canada, Food Research Division. (cited in CCME 2009).

Dalziel, J.A., P.A. Yeats and B.P. Amirault. 1998. Inorganic chemical analysis of major rivers flowing into the Bay of Fundy, Scotian Shelf and Bras D'Or Lakes. Canadian Technical Report of Fisheries and Aquatic Sciences 2226. 148p. Accessed on-line at http://www.dfo-mpo.gc.ca/Library/227457.pdf

Daniels, L.A. 1996. Selenium metabolism and bioavailability. Biological Trace Element Research 54:185-199.

Dawe, P. 2003. Water quality trends in selected water bodies of Newfoundland & Labrador. St.

John's, NL (CA): Department of Environment, Canada-Newfoundland Water Quality Monitoring Agreement, Newfoundland & Labrador Water Resource Management Division. 66p.

deBruyn, A.M.H. 2009. Westslope cutthroat trout population modeling study. Sparwood, BC (CA): Elk Valley Selenium Task Force. Unpublished manuscript. 43p.

deBruyn, A.M.H., and P.M. Chapman. 2007. Selenium toxicity to invertebrates: Will proposed thresholds for toxicity to fish and birds also protect their prey? Environmental Science and Technology 41:1766-1770.

deBruyn, A., A. Hodaly and P. Chapman. 2008. Tissue selection criteria: Selection of tissue types for the development of a meaningful selenium threshold in fish. In: Tissue selection criteria, threshold development endpoints and potential to predict population or community effects in the field. Part I. Washington DC (US): North American Metals Council, Selenium Working Group. 178p. Accessed on-line at http://www.namc.org/docs/00043675.PDF

DeForest, D.K. 2008. Threshold development endpoints. In: Tissue selection criteria, threshold development endpoints and potential to predict population or community effects in the field. Part II. Washington DC (US): North American Metals Council, Selenium Working Group. 178p. Accessed on-line at http://www.namc.org/docs/00043675.PDF

DeForest, D.K. 2009. Database of selenium concentrations in fish tissues from reference sites. Washington DC (US): North American Metals Council, Selenium Working Group. 33p. Accessed on-line at http://www.namc.org/docs/00043670.PDF

DeForest, D.K., and W.J. Adams. 2011. Selenium accumulation and toxicity in freshwater fishes.

In: Beyer, W.N., and J.P. Meador, editors. Environmental contaminants in biota – interpreting tissue concentrations, 2nd ed. Boca Raton, FL (US): CRC Press, p.185-221

DeForest, D.K., W.J. Adams and K.V. Brix. 2006. Comments on Vidal *et al.* (2005) and potential implications for tissue-based guideline/criteria development for selenium. SETAC Globe, March-April 2006 edition. p26.

DeForest, D.K., K.V. Brix and W.J. Adams. 1999. Critical review of proposed residue-based selenium thresholds for freshwater fish. Human and Ecological Risk Assessment 5(6):1187-1228.

DeForest, D.K., K.V. Brix and W.J. Adams. 2007. Assessing metal bioaccumulation in aquatic environments: The inverse relationship between bioaccumulation factors, trophic transfer factors and exposure concentration. Aquatic Toxicology 84:236-246.

DeForest, D.K., G. Gilron, S.A. Armstrong and E.L. Robertson. 2012. Species sensitivity distribution evaluation for selenium in fish eggs: Considerations for development of a Canadian tissue-based guideline. Integrated Environmental Assessment and Management 8(1):6-12.

de Rosemond, S.C., K. Liber and A. Rosaasen. 2005. Relationship between embryo selenium concentrations and early life stage development in white sucker (*Catastomus commersoni*) from a northern Canadian lake. Bulletin of Environmental Contamination and Toxicology 74:1134-1142.

De Riu, D., L. Jang-Won, Huang, S., Monielloa, G., and Hung, S. 2014. Effect of dietary selenomethionine on growth performance, tissue burden, and histopathology in green and white sturgeon. Aquat. Toxicol. 148:65-73.

Dessouki, T.C.E. 2009a. Water quality assessment of the Kettle River at Midway and Carson, British Columbia (1990-2007). Victoria, BC (CA): BC Ministry of Environment, Canada- British Columbia Water Quality Monitoring Agreement. 58p. Accessed on-line at http://www.env.gov.bc.ca/wat/wq/quality/kettle_midway/kettle-midway07.pdf

Dessouki, T.C.E. 2009b. Water quality assessment of the Okanagan River near Oliver, British Columbia (1990-2007). Victoria, BC (CA): BC Ministry of Environment, Canada-British Columbia Water Quality Monitoring Agreement. 34p. Accessed on-line at <u>http://www.env.gov.bc.ca/wat/wq/quality/okanagan_riv/okanagan-riv-07.pdf</u>

Dessouki, T.C.E. 2009c. Water quality assessment of the Iskut River below Johnson River, British Columbia (1990-2007). Victoria, BC (CA): BC Ministry of Environment, Canada- British Columbia Water Quality Monitoring Agreement. 30p. Accessed on-line at http://www.env.gov.bc.ca/wat/wq/quality/iskut/iskut-2007.pdf

Dessouki, T.C.E. 2009d. Water quality assessment of the Moyie River at Kingsgate (1990-2007). Victoria, BC (CA): BC Ministry of Environment, Canada-British Columbia Water Quality Monitoring Agreement. 25p. Accessed on-line at http://www.env.gov.bc.ca/wat/wq/quality/moyie/moyie-2007.pdf

DeVink, J-M. A., R.G. Clark, S.M. Slattery and M. Wayland. 2008. Is selenium affecting body condition and reproduction in boreal breeding scaup, scoters, and ring-necked ducks? Environmental Pollution 152:116-122.

Doblin, M.A., S.I. Blackburn and G.M. Hallegraeff. 1999. Comparative study of selenium requirements of three phytoplankton species: *Gymnodinium catenatum*, *Alexandrium minutum* (Dinophyta) and *Chaetoceros* cf. tenuissimus (Bacillariophyta). Journal of Phytoplankton Research 21(6):1153-1169.

Donahue, W.F., E.W. Allen and D.W. Schindler. 2006. Impacts of coal-fired power plants on trace metals and polycyclic aromatic hydrocarbons (PAHs) in lake sediments in central Alberta, Canada. Journal of Paleolimnology 35(1):111-128.

Doroshov, S., J. Van Eenennaam, C. Alexander, E. Hallen, H. Bailey, K. Kroll and C. Restrepo. 1992. Development of water quality criteria for resident aquatic species of the San Joaquin River. Sacramento CA (US): California Environmental Protection Agency, State Water Resources Control Board. Contract nr 7–197– 250–0. 99p.

Douglas, G.W., D.V. Meidinger and J. Pojar. 1999. Illustrated flora of British Columbia. Volume 3: Dicotyledons (Diapensiaceae through Onagraceae). Victoria, BC (CA): BC Ministry of Environment, Lands & Parks and BC Ministry of Forests. 423 p. In: Klinkenberg, B., editor. 2010. E-flora BC: electronic atlas of the plants of British Columbia. Vancouver, BC (CA): University of British Columbia, Department of Geography, Lab for Advanced Spatial Analysis. Accessed on-line at <u>http://www.geog.ubc.ca/biodiversity/eflora/</u>

Driedger, K., L.P. Weber, C.J. Rickwood, M.G. Dubé and D.M. Janz. 2009. Overwinter alterations in energy stores and growth in juvenile fishes inhabiting areas receiving metal mining and municipal wastewater effluents. Environmental Toxicology and Chemistry 28(2):296-304.

Driessnack, M.K., P.D. Jones and M.G. Dubé. 2011. Altered egg size and selenium concentrations during and following exposure to fathead minnows (*Pimephales promelas*) to industrial effluent. Integrated Environmental Assessment and Management 7:504-506.

Drinking Water Leadership Council. 2007. Drinking water officers' guide. Victoria BC (CA): BC Ministry of Health. Accessed online at <u>http://www.health.gov.bc.ca/protect/dwpublications.html</u>

DuBowy, P.J. 1989. Effects of diet on selenium bioaccumulation in marsh birds. Journal of Wildlife Management 53(3):776-781.

D'Ulivo, A. 1997. Determination of selenium and tellurium in environmental samples. Analyst 122:117R-144R.

Efroymson, R.A, M.E. Will, G.W. Suter and A. C. Wooten. 1997. Toxicological benchmarks for screening contaminants of potential concern for effects on terrestrial plants: 1997 revision. Oak Ridge, TN (US): U.S. Department of Energy, Office of Environmental Management, Oak Ridge National Laboratory. ES/ER/TM-85/R3. Accessed on-line at <u>http://www.esd.ornl.gov/programs/ecorisk/documents/tm85r3.pdf</u>

Eisler, R. 1985. Selenium hazards to fish, wildlife and invertebrates: A synoptic review. Contaminant hazard reviews. Report No. 5. Biological report 85(1.5). Laurel, MD (US): U.S. Fish and Wildlife Service. 41p.

Elkford Rod and Gun Club. 1984. A preliminary survey of O'Rourke Lake. Report prepared by the Elkford Rod and Gun Club, July 11, 1984. Cranbrook, BC (CA): Fish and Wildlife Branch, Ministry of Environment. 3p.

Ellis, D.R., and D.E. Salt. 2003. Plants, selenium and human health. Current Opinion in Plant Biology 6:273-279.

Elphick, J.R., H.C. Bailey, B.K. Lo, G. Sword and J.R. Berdusco. 2009. Effect of selenium on early life-stage development of westslope cutthroat trout. In: Proceedings of the 33rd Annual British Columbia Mine Reclamation Symposium; 2009 September 14–18; Cranbrook, BC (CA). 11p.

Environment Canada. 2010. Examining fish consumption advisories related to mercury contamination in Canada. Pollution and Waste. Ottawa, ON (CA): Environment Canada. Accessed on-line at http://www.ec.gc.ca/mercure-mercury/default.asp?lang=En&xml=BA8EA930-01C7-47A4-988F-949B9062A05C#BC

[EDI] Environmental Dynamics Inc. 2009. Natural sources of contaminants in the Yukon: Focus on selenium. Whitehorse, YT (CA): Mining and Petroleum Environment Research Group (MPERG). 52p.

[EC] European Commission. 2008. Priority substances and certain other pollutants (according to Annex II of the Directive 2008/105/EC). European Commission, Institute for Health and Consumer Protection (JRC-IHCP). Accessed on-line at http://ihcp.jrc.ec.europa.eu/our_activities/health-env/eqs

Fairbrother, A., K.V. Brix, J.E. Toll, S. McKay and W.J. Adams. 1999. Egg selenium concentrations as predictors of avian toxicity. Human and Ecological Risk Assessment 5(6):1229-1253.

Fairweather – Tait, S.J. 1997. Bioavailability of selenium. European Journal of Clinical Nutrition 51:S20-S23.

Fairweather-Tait, S.J., R. Collings and R. Hurst. 2010. Selenium bioavailability: current knowledge and future research requirements. American Journal of Clinical Nutrition 91(supplement): 1484-1491.

Fairweather–Tait, S. J., B. Yongping, M.R. Broadley, R. Collings, D. Ford, J.E. Hesketh and R. Hurst. 2011. Selenium in human health and disease. Antioxidants and Redox Signaling 14(7):1337-1383. Accessed online at: <u>http://online.liebertpub.com/doi/abs/10.1089/ars.2010.3275</u>

Fan, A.M., S.A. Book, R.R. Neutra and D.M. Epstien. 1988. Selenium and human health implications in California's San Joaquin Valley. Journal of Toxicology and Environmental Health 23:539-559.

Fan, T.W.-M., S.J. Teh, D.E. Hinton and R.M. Higashi. 2002. Selenium biotransformations into proteinaceous forms by foodweb organisms of selenium-laden drainage waters in California. Aquatic Toxicology 57:65-84.

Farag, A.M., D.A. Nimick, A.A. Kimball, S.E. Church, D.D. Harper and W.G. Brumbaugh. 2007. Concentrations of metals in water, sediment, biofilm, benthic macroinvertebrates and fish in the Boulder River watershed, Montana, and the role of colloids in metal uptake. Archives of Environmental Contamination and Toxicology 52:397-409.

Fernández-Martínez, A., and L. Charlet. 2009. Selenium environmental cycling and bioavailability: a structural chemist point of view. Reviews in Environmental Science Biotechnology 8:81-110.

Farré, M., K. Gajda-Schrantz, L. Kantiani and D. Barceló. 2009. Ecotoxicity and analysis of nanomaterials in the aquatic environment. Analytical and Bioanalytical Chemistry 393:81-95.

Finley, J.W. 2005. Selenium accumulation in plant foods. Nutrition Reviews 63(6):196-202. Finley, J.W. 2006. Bioavailability of selenium from foods. Nutrition Reviews 64(3):146-151.

Finley, K.A. 1985. Observations of bluegills fed selenium-contaminated *Hexagenia* nymphs collected from Belews Lake, North Carolina. Bulletin of Environmental Contamination and Toxicology 35:816-825.

[FAO/WHO] Food and Agriculture Association of United Nations/World Health Organization. 2011. Report of the joint FAO/WHO expert consultation on the risks and benefits of fish consumption. Rome, 25-29 January 2010. Fisheries and Aquaculture Report No. 978 (FIPM/R978(En)). Rome, IT: United Nations and World Health Organization, Food and Agriculture Organization. 63p. Accessed on-line at http://www.fao.org/docrep/014/ba0136e/ba0136e00.pdf

[FDA] Food and Drug Administration. 1982. FDA compliance program report of findings. FY 79 total diet studies – adult (7305.002). Washington, DC (US): U.S. Food and Drug Administration, Department of Health and Human Services.

Formation Environmental. 2011. Brown trout laboratory reproduction studies conducted in support of development of a site-specific selenium criterion. Boulder, CO (US): J.R. Simplot Company. Final manuscript dated June 2011. 643p.

Fox T.E., E.G.H.M. Van den Heuval, C.A. Atherton, J.R. Dainty, D.J. Lewis and N.J. Langford. 2004. Bioavailability of selenium from fish, yeast and selenate: A comparative study in humans using stable isotopes. European Journal of Clinical Nutrition 58:343-9.

Franz, E.D., C. I.E. Wiramanaden, D.M. Janz, I. J. Pickering and K. Liber. 2011. Selenium bioaccumulation and speciation in *Chironomus dilutus* exposed to water-borne selenate, selenite, or seleno-DL-methionine. Environmental Toxicology and Chemistry 30(10):2292- 2299.

Frenette, J.L. 2008. An evaluation of benthic invertebrate communities as an indicator of stream ecosystem health below active coal mines in the Elk River watershed [MSc. thesis]. Victoria, BC (CA): Royal Roads University. Accessed on-line at https://circle.ubc.ca/bitstream/handle/2429/24646/17Frenette.pdf?

Friedrich, L.A., P.L. Orr, N.M. Halden, P. Yang and V.P. Palace. 2011. Exposure histories derived from selenium in otoliths of three cold-water fish species captured downstream from coal mining activity. Aquatic Toxicology 105(3-4):492-496.

Gamberg, M., G. Boila, G. Stern and P. Roach. 2005a. Cadmium, mercury and selenium concentrations in mink (*Mustela vison*) from Yukon, Canada. Science of the Total Environment 351-352:523-529.

Gamberg, M., M. Palmer and P. Roach. 2005b. Temporal and geographic trends in trace element concentrations in moose from Yukon, Canada. Science of the Total Environment 351- 352:530-538.

Gantner, N., M. Power, J.A. Babaluk, J.D.G. Kock, L.W. Lockhart, K.R. Solomon and D.C.G. Muir. 2009. Temporal trends of mercury, cesium, potassium, selenium, and thallium in Arctic char (*Salvelinus alpinus*) from Lake Hazen, Nunavut, Canada: Effects of trophic position, size, and age. Environmental Toxicology and Chemistry 28(2):254-263.

GFS Chemicals. 2010. Material safety data sheet for selenium dioxide. Powell, OH (US): GFS Chemicals. Accessed on-line at http://msds.gfschemicals.com/atn/SELENIUM%20DIOXIDE%2c%2099.8%25_Default_MSDS%20US.pdf

Gillespie, R.B., and P.C. Bauman. 1986. Effects of high tissue concentrations of selenium on reproduction in bluegills. Transactions of the American Fisheries Society 115:208-213.

[Golder] Golder Associates Ltd. 2009. Technical Memorandum: Selenium concentrations in rainbow trout collected from Blind Creek. April 08 2009. Prince George, BC (CA): BC Ministry of Environment.

[Golder] Golder Associates Ltd. 2010a. Technical Memorandum: Selenium concentrations in bird eggs: Preliminary data from samples collected in the vicinity of the proposed Roman Mine. Prince George, BC (CA): BC Ministry of Environment.

[Golder] Golder Associates Ltd. 2010b. Selenium bioaccumulation analysis: Development of site-specific BAFs for Se in the Elk Valley. Sparwood, BC (CA): Elk Valley Selenium Task Force. Report number: 09-1421-0030. 47p.

Goodarzi, F., H. Sanai and J. Reyes. 2006. Concentrations and distribution opf elements in milled-coal, power plant ashes and stack-emitted materials in a western Canadian coal- fired power plant. Chinese Journal of Geochemistry 25(Suppl 1):47.

Goettl, J.P., and P.H. Davies 1978. Water pollution studies. Job Progress Report, Federal Aid Project F-33-R-13. Fort Collins, CO (US): Colorado Division of Wildlife. p.12-13

Government of Alberta. 2011. Alberta guide to sportfishing regulations 2011. PB83-112722. Accessed on-line at http://www.albertaregulations.ca/fishingregs/

Groff, J., and S. Gropper. 2000. Advanced nutrition and human metabolism. 3rd ed. Belmont, CA (US): Wadsworth/Thomson Learning.

Hamilton, S.J. 1999. Hypothesis of historical effects from selenium on endangered fish in the Colorado River basin. Human and Ecological Risk Assessment 5(6):1153-1180.

Hamilton, S.J. 2002. Rationale for a tissue-based selenium criterion for aquatic life. Aquatic Toxicology 57:85-100.

Hamilton, S.J. 2003. Review of residue-based selenium toxicity thresholds for freshwater fish. Ecotoxicology and Environmental Safety 56:201-210.

Hamilton, S.J. 2004. Review of selenium toxicity in the aquatic food chain. Science of the Total Environment 326:1-31.

Hamilton, S.J., and K.J. Buhl. 1990. Acute toxicity of boron, molybdenum and selenium to fry of Chinook salmon and coho salmon. Archives of Environmental Contamination and Toxicology 19(3):366-373.

Hamilton, S.J., and K.J. Buhl. 2003. Selenium and other trace elements in water, sediment, aquatic plants, aquatic invertebrates, and fish from streams in southeastern Idaho near phosphate mining operations: May 2001. Yankton, SD (US): US Geological Survey. 65p.

Hamilton, S.J., K.J. Buhl, F.A Bullard and S.F. McDonald. 2005. Reduced growth and survival of larval razorback sucker fed selenium-laden zooplankton. Ecotoxicology and Environmental Safety 61:190-208.

Hamilton, S.J., K.J. Buhl, N.L. Faerber, R.H. Wiedmeyer and F.A. Bullard. 1990. Toxicity of organic selenium in the diet to Chinook salmon. Environmental Toxicology and Chemistry 9:347-358.

Hamilton, S.J., K.M. Holley, K.J. Buhl, F.A. Bullard, L.K. Weston and S.F. McDonald. 2004. Evaluation of flushing of a high-selenium backwater channel in the Colorado River. Environmental Toxicology 19(1):51-81.

Hamilton, S.J., and A.D. Lemly. 1999. Commentary – Water-sediment controversy in setting environmental standards for selenium. Ecotoxicology and Environmental Safety 44:227-235.

Hamilton, S.J., and V.P. Palace. 2001. Assessment of selenium effects in lotic ecosystems. Ecotoxicology and Environmental Safety 50:161-166.

Hamilton, S.J., and R.H. Weidmeyer. 1990. Concentrations of boron, molybdenum, and selenium in Chinook salmon. Transactions of the American Fisheries Society 119:500-510.

Hansen, D., P.J. Duda, A. Zayed and N. Terry. 1998. Selenium removal by constructed wetlands: Role of biological volatilization. Environmental Science and Technology 32:591-597.

Hansen, L.D., K.J. Maier and A.W. Knight. 1993. The effect of sulfate on the bioaccumulation of selenate by *Chironomus decorus* and *Daphnia magna*. Archives of Environmental Contamination and Toxicology 25(1):71-78.

Harding, L.E. 2008. Non-linear uptake and hormesis effects of selenium in red-winged blackbirds (*Agelaius phoeniceus*). Science of the Total Environment 389:350-366.

Harding, L.E, and D. Paton. 2003. Effects of selenium on American dippers and spotted sandpipers in the Elk River valley, British Columbia. Sparwood, BC (CA): Elk Valley Selenium Task Force. 60p.

Harding, L.E., M. Graham and D. Paton. 2005. Accumulation of selenium and lack of severe effects on productivity of American dippers (*Cinclus mexicanus*) and spotted sandpipers (*Actitis macularia*). Archives of Environmental Contamination and Toxicology 48:414- 423.

Hardy, R.W., L.L. Oram and G. Möller. 2010. Effects of dietary selenomethionine on cutthroat trout (*Oncorhynchus clarki bouvieri*) growth and reproduction performance over a life cycle. Archives of Environmental Contamination and Toxicology 58:237-245.

Harrison, P.J., P.W. Yu, P.A. Thompson, N.M. Price and D.J. Phillips. 1988. Survey of selenium requirements in marine phytoplankton. Marine Ecology 47:89-96.

Harrison, S.E., and J.F. Klaverkamp. 1990. Metal contamination in liver and muscle of northern pike (*Exos lucius*) and white sucker (*Catostomus commersoni*) and in sediments from lakes near the smelter at Flin Flon, Manitoba. Environmental Toxicology and Chemistry 9:941- 956.

Hatfield Consultants. 2010. Assessment of selenium in Waste Rock Creek and other aquatic ecosystems of the Kemess Area - 2009 status report. Smithers, BC (CA): Northgate Minerals Corporation, Kemess Mine. 63p.

Hauer F.R, and E.K. Sexton. 2010. Transboundary Flathead water quality and aquatic life: Biennial report. 2007 and 2008 baseline data collection to characterize the north fork of the Flathead River basin environmental quality. Kalispell, MT (US): The Flathead Basin Commission. 70p.

Haygarth, P.M. 1994. Global importance and global cycling of selenium. In: Frankenberger,

W.T. and S. Benson, editors. Selenium in the environment. New York, NY (US): Marcel Dekker Inc. p1-28.

Health Canada. 1986. Guidelines for Canadian drinking water quality – Supporting document for mercury. April 1979 (updated 1986). Accessed on-line at <u>http://www.hc-sc.gc.ca/ewh-</u><u>semt/pubs/water-eau/mercury-mercure/index-eng.php</u>

Health Canada. 1992. Guidelines for Canadian drinking water quality - Technical document. Selenium. Ottawa ON (CA): Health Canada. Accessed on-line at <u>http://www.hc-sc.gc.ca/ewh-semt/pubs/water-eau/index-eng.php</u>

Health Canada. 2003. Dietary reference intakes. Cat. H44-49/2003E-HTML ISBN 0-662-34958-X Ottawa, ON (CA): Health Canada. Accessed on-line at <u>http://www.hc- sc.gc.ca/fnan/nutrition/reference/dri_using-util_anref_e.html</u>

Health Canada. 2004a. Canadian handbook on health impact assessment: Volume 3: The multidisciplinary team. Ottawa, ON (CA): Health Canada, Minister of Health, Chapter 8, Food Issues in Environmental Impact Assessment. 32p.

Health Canada. 2004b. Federal contaminated site risk assessment in Canada. Part I: Guidance on human health preliminary quantitative risk assessment (PQRA). Ottawa, ON (CA): Health Canada, Contaminated Sites Program, Environmental Health Assessment Services. 40p. Accessed on-line at <u>http://dsp-psd.pwgsc.gc.ca/Collection/H46-2-04-367E.pdf</u>

Health Canada. 2005. Average dietary intakes (µg/kg bw/day) of trace elements for Canadians in different age/sex groups for total diet study in 2005. Ottawa, ON (CA): Health Canada. Accessed on-line at http://www.hc-sc.gc.ca/fn-an/surveill/total-diet/intake-apport/chem_age-sex_chim_2005-eng.php

Health Canada. 2006. Average dietary intakes (µg/kg bw/day) of trace elements for Canadians in different age/sex groups for total diet study in 2006. Ottawa, ON (CA): Health Canada. Accessed on-line at http://www.hc-sc.gc.ca/fn-an/surveill/total-diet/intake-apport/chem_age-sex_chim_2006-eng.php

Health Canada. 2007a. Average dietary intakes (µg/kg bw/day) of trace elements for Canadians in different age/sex groups for total diet study in 2007. Ottawa, ON (CA): Health Canada. Accessed on-line at http://www.hc-sc.gc.ca/fn-an/surveill/total-diet/intake-apport/chem_age-sex_chim_2007-eng.php

Health Canada. 2007b. Compendium of monographs. Selenium. Ottawa, ON (CA): Health Canada, Natural Health Products Directorate. Accessed on-line at <u>www.hc-sc.gc.ca/dhp-</u> <u>mps/prodnatur/applications/licen-</u>prod/monograph/index-eng.php

Health Canada. 2010a. Report on human biomonitoring of environmental contaminants in Canada – Results of the Canadian health measures survey cycle 1 (2007-2009). Ottawa, ON (CA): Health Canada. Accessed online at <u>http://www.hc-sc.gc.ca/ewh-semt/pubs/contaminants/chms-ecms/index-eng.php</u>

Health Canada. 2010b. Supplemental guidance on human health risk assessment for country foods (HHRA Foods). Ottawa, ON (CA): Health Canada.

Health Canada. 2010c. Federal contaminated site risk assessment in Canada, Part V: Guidance on human health detailed quantitative risk assessment for chemicals (DQRAChem). Ottawa, ON (CA): Health Canada.

Health Canada. 2010d. Federal contaminated site risk assessment in Canada, Part II: Health Canada toxicological reference values (TRVs) and chemical-specific factors, version 2.0. Ottawa, ON (CA): Health Canada. Accessed on-line at http://publications.gc.ca/collections/collection_2012/sc-hc/H128-1-11-638-eng.pdf

Health Canada. 2011. Eating well with Canada's food guide. Ottawa, ON (CA): Health Canada, Minister of Health. Accessed on-line at http://www.hc-sc.gc.ca/fn-an/alt_formats/hpfb-dgpsa/pdf/food-guide-aliment/print_eatwell_bienmang-eng.pdf.

Health Canada. 2012a. Guidelines for Canadian recreational water quality. Third edition. Ottawa, ON (CA): Health Canada. Accessed online at <u>http://www.hc-sc.gc.ca/ewh- semt/alt_formats/pdf/pubs/water-</u> eau/guide_water-2012-guide_eau/guide_water-2012- guide_eau-eng.pdf

Health Canada. 2012b. Canadian total diet study. Ottawa, ON (CA): Health Products and Food Branch, Health Canada. Accessed on-line at <u>http://www.hc-sc.gc.ca/fn-an/surveill/total-</u> <u>diet/index-eng.php</u>

Health Canada. 2013a. The development of the dietary reference intakes. Questions and Answers. Ottawa, ON (CA): Health Canada. Accessed on-line at <u>http://www.hc-sc.gc.ca/fn-an/nutrition/reference/dri_dev-elab_anref-eng.php</u>

Health Canada. 2013b.Dietary reference intake FAQ. Ottawa, ON (CA): Health Canada. Accessed on-line at <u>http://www.hc-sc.gc.ca/fn-an/nutrition/reference/index-eng.php</u>

Heinz, G.H. 1996. Selenium in birds. In: Beyer, W.N., G.H. Heinz and A.W. Redmon-Norwood, editors. Environmental contaminants in wildlife: Interpreting tissue concentrations. Boca Raton, FL (US): CRC Press. p.447-458.

Heinz, G.H., and D.J. Hoffman. 1998. Methylmercury chloride and selenomethionine interactions on health and reproduction in mallards. Environmental Toxicology and Chemistry 17(2):139-145.

Heinz, G.H., D.J. Hoffman and L.G. Gold. 1989. Impaired reproduction of mallards fed an organic form of selenium. Journal of Wildlife Management 53(2):418-428.

Heinz, G.H., D.J. Hoffman, A.J. Krynitsky and D.M.G. Weller. 1987. Reproduction in mallards fed selenium. Environmental Toxicology and Chemistry 6:423-433.

Henderson, T., and J. Fisher. 2012. Baseline metal levels in fish tissue (primarily selenium) from the Flathead River 2006. Cranbrook, BC (CA): BC Ministry of Environment, Environmental Protection Division. March 2012. 28p.

Hermanutz, R.O. 1992. Malformation of the fathead minnow (*Pimephales promelas*) in an ecosystem with elevated selenium concentrations. Bulletin of Environmental Contamination and Toxicology 49:290-294.

Hermanutz, R.O., K.N. Allen, T.H. Roush and S.F. Hedtke. 1992. Effects of elevated selenium concentrations on bluegills (*Lepomis macrochirus*) in outdoor experimental streams. Environmental Toxicology and Chemistry 11(2):217-224.

Hermanutz, R.O., K.N. Allan, N.E. Detenbeck and C.E. Stephan. 1996. Exposure of bluegill (*Lepomis macrochirus*) to selenium in outdoor experimental streams. Duluth, MN (US): USEPA Mid-Continent Ecology Division. December 1996. 43p.

Hicks, B.D., J.W. Hodson and H.W. Ferguson. 1984. Influence of dietary selenium on the occurrence of nephrocalcinosis in rainbow trout, *Salmo gairdneri* Richardson. Journal of Fish Diseases 7:379-389.

Hillwalker, W.E., P.C. Jepson and K.A. Anderson. 2006. Selenium accumulation patterns in lotic and lentic aquatic systems. Science of the Total Environment 366:367-379.

Hilton, J.W., and P.V. Hodson. 1983. Effect of increased dietary carbohydrate on selenium metabolism and toxicity in rainbow trout (*Salmo gairderi*). Journal of Nutrition 113:1241- 1248.

Hilton, J.W., P.V. Hodson and S.J. Slinger. 1980. The requirements and toxicity of selenium in rainbow trout (*Salmo gairdneri*). Journal of Nutrition 110:2527-2535.

Hilton, J.W., P.V. Hodson and S.J. Slinger. 1982. Absorption, distribution, half-life and possible routes of elimination of dietary selenium in juvenile rainbow trout (*Salmo gairdneri*). Comparative Biochemistry and Physiology Part C: Comparative Pharmacology 71(1):49-55.

Hinck, J.E., C.J Schmitt, K.R. Echols, T.W. May, C.E. Orazio and D.E. Tillitt. 2006. Environmental contaminants in fish and their associated risk to piscivorous wildlife in the Yukon River basin, Alaska. Archives of Environmental Contamination and Toxicology 51:661-672.

Hodson, P.V. 1990. Indicators of ecosystem health at the species level and the example of selenium effects on fish. Environmental Monitoring and Assessment 15:241-254.

Hodson, P.V., D.J. Spry and B.R. Blunt. 1980. Effects on rainbow trout (*Salmo gairdneri*) of a chronic exposure to waterborne selenium. Canadian Journal of Fisheries and Aquatic Science 37:233-240.

Hodson, P.V., R.J. Reash, S.P. Canton, P.V. Campbell, C.G. Delos, A. Fairbrother, N.P. Hitt,

L.L. Miller and H.M. Ohlendorf. 2010. Selenium risk caharacterization. In: Adams, W.J.,

M.L. Brooks, C. G. Delos, S.N. Luoma, W.A. Maher, H.M. Ohlendorf, T.S. Presser and

D.P. Shaw, editors. Ecological assessment of selenium in the aquatic environment. Proceedings from the SETAC Workshop on Ecological Assessment of Selenium in the Aquatic Environment. Pensacola Florida, USA, February 2009. Boca Raton FL (US): SETAC in collaboration with CRC Press. p233-256.

Hoffman, D.J. 2002. Role of selenium toxicity and oxidative stress in aquatic birds. Aquatic Toxicity 57:11-26.

Hoffman, D.J., H.M. Ohlendorf and T.W. Aldrich. 1988. Selenium teratogenesis in natural populations of aquatic birds in central California. Archives of Environmental Contamination and Toxicology 17:519-525.

Holm, J. 2002. Sublethal effects of selenium on rainbow trout (*Oncorhynchus mykiss*) and brook trout (*Salvelinus fontinalis*). Masters Thesis. Winnipeg MN (CA): University of Manitoba, Department of Zoology.

Holm, J., V.P. Palace, K. Wautier, R.E. Evans, C.L. Baron, C. Podemski, P. Siwik and G. Sterling. 2003. An assessment of the development and survival of wild rainbow trout (*Oncorhynchus mykiss*) and brook trout (*Salvelinus fontinalis*) exposed to selenium in and area of active coal mining. In: Browman, H.I. and A.B. Skiftesvik, editors. Proceedings of the 26th Annual Larval Fish Conference, 2003. The big fish bang. Bergen, NO: Institute of Marine Research. p.257-274. Accessed on-line at http://www.fishlarvae.com/e/book.asp?pg=52

Holm, J., V. Palace, P. Siwik, G. Sterling, R. Evans, C. Baron, J. Werner and K. Wautier. 2005. Developmental effects of bioaccumulated selenium in eggs and larvae of two salmonid species. Environmental Toxicology and Chemistry 24(9):2373-2381.

Holness, D.L., I.G. Taraschuk and J.R. Nethercott. 1989. Health status of copper refinery workers with specific reference to selenium exposure. Archives of Environmental Health 44(5): 291-297. (cited in ATSDR 2003)

Hopkins, W.A., S.E. DuRant, B.P.Staub, C.L. Rowe and B.P. Jackson. 2006. Reproduction, embryonic development and maternal transfer of contaminants in the amphibian *Gastrphryne carolinensis*. Environmental Health Perspectives 114(5):661-666.

Hopkins, W.A., J.W. Snodgrass, J.A. Baionno, J.H. Roe, B.P. Staub and B.P. Jackson. 2005.Functional relationship among selenium concentrations in the diet, target tissues, and non-destructive tissue samples of two species of snakes. Environmental Toxicology and Chemistry 24(2):344-351.

Hopkins, W.A., B.P. Staub, J.A. Baionno, B.P. Jackson, J.H. Roe and N.B. Ford. 2004. Trophic and maternal transfer of selenium in brown house snakes (*Lamprophis fuliginousus*). Ecotoxicology and Environmental Safety 58:285-293.

Hu, X., F. Wang and M.L.Hanson. 2009. Selenium concentration, speciation and behaviour in surface waters of the Canadian Prairies. Science of the Total Environment 407:5869-5876.

Huggins, F.E., C.L. Senior, P.Chu, K. Ludwig and G.P. Huffman. 2007. Selenium and arsenic speciation in fly ash from full-scale coal-burning utility plants. Environmental Science and Technology 41(9):3284-3289.

Hunn, J.B., S.J. Hamilton and D.R. Buckler. 1987. Toxicity of sodium selenite to rainbow trout fry. Water Research 21(2):233-238.

[IFCAP] Idaho Fish Consumption Advisory Program. 2002. Fish consumption and advisory list. Idaho Department of Health and Welfare, Bureau of Environmental Health and Safety, Division of Health. Accessed on-line at http://healthandwelfare.idaho.gov/Health/tabid/60/Default.aspx

Idaho Department of Health and Welfare. 2005. Public health assessment. Southeast Idaho phosphate mining resource area, Bannock, Bear Lake, Bingham, and Caribou Counties, Idaho. EPA Facility ID: IDN001002245. Bureau of Community and Environmental Health, Idaho Department of Health and Welfare under cooperative agreement with the Agency for Toxic Substances and Disease Registry. Accessed on-line at http://healthandwelfare.idaho.gov/portals/0/Health/MoreInformation/SEIPhosphateAssess_ment.pdf

[Indiana DEP] Indiana Department of Environmental Management. 2011. Water quality standards. Indiana Administrative Code. Title 327 - Water Pollution Control Board Accessed on-line at http://www.in.gov/legislative/iac/title327.html

Ingersoll, C.G., F.J. Dwyer and T.W. May. 1990. Toxicity of inorganic and organic selenium to *Daphna magna* (Cladocera) and *Chironomus riparius* (Diperta). Environmental Toxicology and Chemistry 9:1171-1181.

Ihnat, M., and W.R. Wolf. 1989. The literature of selenium and the status and treatment of analytical data. In: Ihnat, M., editor. Occurrence and distribution of selenium. Boca Raton, FL (US): CRC Press Inc. p25-32.

[IOM] Institute of Medicine. 2000. Dietary reference intakes: Vitamin C, vitamin E, selenium, and carotenoids. Food and Nutrition Board. Washington, DC (US): National Academy Press. Accessed on-line at http://www.nap.edu/openbook.php?record_id=9810

[IJC] International Joint Commission. 1981. Selenium. In: Report of the Aquatic Ecosystem Objectives Committee. Windsor, ON (CA): Great Lakes Science Advisory Board, International Joint Commission. 22p.

[IUPAC] International Union of Pure and Applied Chemistry. 1988. New notation in the periodic table. Pure and Applied Chemistry 60(3):431-436.

[IUPAC] International Union of Pure and Applied Chemistry. 1998. Naturally occurring isotope abundances: Commission on atomic weights and isotopic abundances report. Pure and Applied Chemistry 70:217.

[Iowa DNR] Iowa Department of Natural Resources. 1992. Water quality standards. In: Iowa Administrative Code, Environmental Protection Commission [567] Chapter 61. Accessed on-line at <u>http://search.legis.state.ia.us/NXT/gateway.dll/ar/iac/5670</u> environmental%20protection

<u>%20commission%20 5b567 5d/0610 chapter%2061%20water%20quality%20standa</u> rds/ c 5670 0610.xml?f=templates\$fn=default.htm

[Iowa DNR] Iowa Department of Natural Resources. 2009. Revisions to Chapter 61 - Iowa water quality standards. Iowa Administrative Code. Accessed on-line at http://water.epa.gov/scitech/swguidance/standards/wqslibrary/ia index.cfm

[Illinois PCB] Illinois Pollution Control Board. 2009. Water quality standards - Title 35: Environmental protection, Subtitle C: Pollution, Chapter1: Pollution Control Board Part 302. Accessed on line at http://water.epa.gov/scitech/swguidance/standards/wqslibrary/il_index.cfm

[Indiana WPCB] Indiana Water Pollution Control Board. 2009. Article 2. Water quality standards - Rule 1. Water quality standards applicable to all waters except waters of the state within the Great Lakes system. Accessed on-line at http://water.epa.gov/scitech/swguidance/standards/wqslibrary/in_index.cfm

J.R. Simplot Company. 2014. Comments on EPA Draft Aquatic Life Ambient Water Quality Criterion for Selenium. Submitted June 24, 2014 by J.R. Simplot Company. One Capital Center, 999 Main St., Suite 1300. P.O. Box 27. Boise, ID 83707. EPA-HQ-OW-2004-0019-0332.

James, L.F., and J.L. Shupe. 1984. Selenium poisoning in livestock. Rangelands 6(2):64-67.

Janz, D.M. 2012. Selenium. In: Wood, C.M., A.P. Farrell and C.J. Brauner, editors. Fish physiology: homeostasis and toxicology of essential metals: Vol 31A. San Diego CA (US): Academic Press, Elsevier Inc. p.327-374.

Janz, D.M., D.K. DeForest, M.L. Brooks, P.M. Chapman, G. Gilron, D. Hoff, W.A. Hopkins,

D.O. McIntyre, C.A. Mebane, V.P. Palace, J.P. Skorupa and M. Wayland. 2010. Selenium toxicity to aquatic organisms. In: W.J. Adams, M.L. Brooks, C.G. Delos, S.N. Luoma,

W.A. Maher, H.M. Ohlendorf, T.S. Presser and D.P. Shaw, editors. Proceedings from the SETAC workshop on ecological assessment of selenium in the aquatic environment. February 2009, Pensacola. Boca Raton FL (US): SETAC in collaboration with CRC Press. p141-231.

[Japan MoE] Japan Ministry of Environment. 1993. Environmental quality standards for water pollution. Tokyo, Japan: Ministry of Environment, Water Environment Management Division, Government of Japan. Accessed on-line at <u>http://www.env.go.jp/en/water/</u>

Jardine, T.D., and K.A. Kidd. 2011. Low concentrations of selenium in stream food webs of eastern Canada. Science of the Total Environment 409:785-791.

Jasonsmith, J.F., W. Maher, A.D. Roach and F. Krikowa. 2008. Selenium bioaccumulation and biomagnification in Lake Wallace, New South Wales, Australia. Marine and Freshwater Research 59:1048-1060.

Johnson, W.P., M. Conover, W. Wurtsbaugh and J. Adams. 2006. Conceptual model for selenium cycling in the Great Salt Lake. Salt Lake City, UT (US): Utah Department of Environmental Quality, Division of Water Quality. 37p. Accessed on-line at http://digitalcommons.usu.edu/cgi/viewcontent.cgi?article=1292&context=nrei

Kennedy, C.J., L.E. McDonald, R. Loveridge and M.M. Strosher. 2000. The effect of bioaccumulated selenium on mortalities and deformities in the egg, larvae, and fry of a wild population of cutthroat trout (*Oncorhynchus clarki lewisi*). Archives of Environmental Contamination and Toxicology 39:46-52.

Khan, M.A.K., and F. Wang. 2009. Mercury-selenium compounds and their toxicological significance: toward a molecular understanding of the mercury-selenium antagonism. Environmental Toxicology and Chemistry 28:1567-1577.

Kiffney, P., and A. Knight. 1990. The toxicity and bioaccumulation of selenate, selenite and seleno-Lmethionine in the cyanobacterium *Anabaena flos-aquae*. Archives of Environmental Contamination and Toxicology 19:488-494.

Kirk, E.J., R. Maggard and C.M. Mower. 2005. A preliminary study of the selenium levels found in fishes collected downstream from active coal mining and valley fill operations. West Virginia Mine Drainage Task Force Symposium, 2005 Proceedings. Accessed on-line at http://wvmdtaskforce.com/proceedings/05/EdKirk.pdf

Klaverkamp, J.F., C.L. Baron, B.W. Fallis, C.R. Ranson, K.G. Wautier and P. Vanriel. 2002. Metals and metallothionein in fishes and metals in sediments from lakes impacted by uranium mining and milling in northern Saskatchewan. Canadian Technical Report of Fisheries and Aquatic Sciences 2420, 72 p. Accessed on-line at http://www.dfo-mpo.gc.ca/Library/267553.pdf

Kleckner, A.E., A.R. Stewart, K. Elrick and S.N. Luoma. 2010, Selenium and stable isotopes of carbon and nitrogen in the benthic clam *Corbula amurensis* from Northern San Francisco Bay, California: May 1995–February 2010: U.S. Geological Survey, Open-File Report 2010-1252, 34p. Accessed on-line at http://pubs.usgs.gov/of/2010/1252/pdf/ofr20101252.pdf

Kock, M.D., D.A. Jessup, R.K. Clark and C.E. Franti. 1987. Effects of capture on biological parameters in freeranging bighorn sheep (*Ovis canadensis*): Evaluation of drop-net, drive- net, chemical immobilization and the net-gun. Journal of Wildlife Diseases 23(4):641-651.

Kolsteren, P. 1992. Kashin-Back disease. Annales de la Société Belge de Médecine Tropicale 72(2): 81-91.

Lakin, H.W. 1961. Selenium content of soils. In: Anderson, M.S., H.W. Lakin, K.C. Beeson, F.F. Smith and E. Thaker, editors. Selenium in agriculture – Agriculture handbook 200. Washington, DC (US): US Department of Agriculture. Accessed on-line at

http://naldr.nal.usda.gov/NALWeb/Agricola_Link.asp?Accession=CAT87208445

Lakin, H.W., and D.F. Davidson. 1967. The relationship of the geochemistry of selenium to its occurrence. In: Muth, O.H., J.E. Oldfield, and P.H. Weswig, editors. Selenium in biomedicine: first international symposium; 1966 September 6-8; Corvallis, OR. Westport CT (US): AVI Publishing Company Inc. p27-52.

Lalonde, B.A., W. Ernst and F. Comeau. 2011. Trace metal concentrations in sediments and fish in the vicinity of ash lagoon discharges from coal-combustion plants in New Brunswick and Nova Scotia, Canada. Archives of Environmental Contamination and Toxicology 61:472-481.

Langmuir, D., P. Chrostowski, R. Chaney and B. Vigneault. 2003. Issue paper on the environmental chemistry of metals. Draft. Washington, DC (US): US Environmental Protection Agency.

LeBlanc, G.A. 1980. Acute toxicity of priority pollutants to water flea (*Daphnia magna*). Bulletin of Environmental Contamination and Toxicology 24:684-691.

Lazorchak, J.M., J. Wathen, A. Olsen, L. Stahl, T. Kincaid, H. McCarty, A. Batt and B. Snyder. 2014. Results of EPA's Assessment of Fish Tissue from U.S. Rivers for Selenium with Implications for Aquatic Life and Human Health. Presenttion SETAC Annual Meeting, Vancouver, Canada. Recorded November 11, 2014. http://setac.sclivelearningcenter.com/index.aspx?PID=9484&SID=204479

Lemke, S.L., and H.M. Schwantje. 2005. British Columbia bighorn sheep trace mineral levels: A compilation of existing data. Victoria, BC (CA): Habitat Conservation Trust Fund and Wild Sheep Society of BC. 26p.

Lemly, A.D. 1993a. Guidelines for evaluating selenium data from aquatic monitoring ad assessment studies. Environmental Monitoring and Assessment 28:83-101.

Lemly, A.D. 1993b. Metabolic stress during winter increases the toxicity of selenium in fish. Aquatic Toxicity 27:133-158.

Lemly, A.D. 1996a. Selenium in aquatic organisms. In: W.N. Beyer, G.H. Heinz and A.W. Redmon-Norwood, editors. Environmental contaminants in wildlife: Interpreting tissue concentrations. Boca Raton, FL(US): CRC Press, Lewis Publishers. 494p.

Lemly, A.D. 1996b. Assessing the toxic threat of selenium to fish and aquatic birds. Environmental Monitoring and Assessment 43:19-35.

Lemly, A.D. 1997a. Ecosystem recovery following selenium contamination in a freshwater reservoir. Ecotoxicology and Environmental Safety 36:275-281.

Lemly, A.D. 1997b. A teratogenic deformity index for evaluating impacts of selenium on fish populations. Ecotoxicology and Environmental Safety 37:259-266.

Lemly, A.D. 1998. Pathology of selenium poisoning. In: Frankenberger, W.T. and R.A. Engberg, editors. Environmental chemistry of selenium. New York, NY (US): Marcel Dekker, Inc. p281-296.

Lemly, A.D. 1999. Selenium transport and bioaccumulation in aquatic ecosystems: A proposal for water quality criteria based on hydrological units. Ecotoxiciolgy and Environmental Safety 42:150-156.

Lemly, A.D. 2002a. Symptoms and implications of selenium toxicity in fish: the Belews Lake case example. Aquatic Toxicology 57:39-49.

Lemly, A.D. 2002b. Selenium assessment in aquatic ecosystems: A guide for hazard evaluation and water quality criteria. New York, NY (US): Springer. 165p.

Lemly, A.D. 2002c. A procedure for setting environmentally safe total maximum daily loads (TMDLs) for selenium. Ecotoxicology and Environmental Safety 52:123-127.

Lemly, A.D. 2003. A sediment toxicity threshold value for selenium. Washington DC (US): US Environmental Protection Agency, Office of Water, Health and Ecological Criteria Division. 4p.

Lemly, A.D. 2004. Aquatic selenium pollution is a global environmental safety issue. Ecotoxicology and Environmental Safety 59: 44-56.

Lemly, A.D. 2007. A Procedure of NEPA assessment of selenium hazards associated with mining. Environmental Monitoring and Assessment 125:361-375.

Lemly, A.D. 2008. Aquatic hazard of selenium pollution from coal mining. In: Fosdyke, G.B., editor. Coal mining: Research, technology and safety. Hauppauge, NY (US): Nova Science Publishers Inc. p167-183.

Lemly, A.D., and J.P. Skorupa. 2007. Technical issues affecting the implementation of US Environmental Protection Agency's proposed fish tissue-based aquatic criterion for selenium. Integrated Environmental Assessment and Management 3(4):552-558.

Lemly, A.D. and G.J. Smith. 1987. Aquatic cycling of selenium: Implications for fish and wildlife. US Fish and Wildlife Service, Fish and Wildlife Leaflet 12. Washington DC (US): US Fish and Wildlife Service. 10p.

Levander, O.A. 1977. Metabolic interrelationships between arsenic and selenium. Environmental Health Perspectives 19:159-164.

Linus Pauling Institute. 2007. Selenium - Micronutrient Information Centre. Corvallis, OR (US): Oregon State University, Micronutrient Research for Optimal Health. Accessed on-line at http://lpi.oregonstate.edu/infocenter/minerals/selenium/

Lohner, T.W., R.J. Reash, V.E. Willet and L.A. Rose. 2001a. Assessment of tolerant sunfish populations (*Lepomis* sp.) inhabiting selenium-laden coal ash effluents. 1. Hematological and population level assessment. Ecotoxicology and Environmental Safety 50:203-216.

Lohner, T.W., R.J. Reash and M. Williams. 2001b. Assessment of tolerant sunfish populations (*Lepomis* sp.) inhabiting selenium-laden coal ash effluents. 2. Tissue biochemistry evaluation. Ecotoxicology and Environmental Safety 50:217-224.

Lohner, T.W., R.J. Reash, V.E. Willet and J. Fletcher. 2001c. Assessment of tolerant sunfish populations (*Lepomis* sp.) inhabiting selenium-laden coal ash effluents. 3. Serum chemistry and fish health indicators. Ecotoxicology and Environmental Safety 50:225-232.

Longnecker, M.P., P.R. Taylor, O.A. Levander, S.M. Howe, C. Veillon, P.A. McAdam, K.Y. Patterson, J.M.Holden, M.J. Stampfer, J.S. Morris and W.C. Willet. 1991. Selenium in diet, blood, and toenails in relation to human health in a seleniferous area. American Journal of Clinical Nutrition 53:1288-1294 (cited in CCME 2009).

Lopez-Pacheco Alexandra Nov 4, 2016 The science behind selenium in the environment is young but for miners managing it, the element is an immediate concern. The Canadian Institute of Mining, Metallurgy and Petroleum (CIM)

Lorentzen, M., A. Maage and K. Julshamn. 1998. Supplementing copper to a fish meal based diet fed to Atlantic salmon parr affects liver copper and selenium concentrations. Aquaculture Nutrition 4:67-72.

Luoma, S.N., and T.S. Presser. 2000. Forecasting selenium discharges to the San Francisco Bay- Delta Estuary: Ecological Effects of a proposed San Luis Drain extension. US Geological Survey Open-file Report 00-416. US Department of the Interior and USGS. 185p. Accessed on-line a<u>t</u> http://pubs.usgs.gov/of/2000/ofr00-416/pdf/OFR-00-416 1.pdf

Luoma, S.N., and T.S. Presser. 2009. Emerging opportunities in management of selenium contamination. Environmental Science and Technology 43(22):8483-8487.

Luoma, S.N., and P.S. Rainbow. 2005. Why is metal bioaccumulation so variable? Biodynamics as a unifying concept. Environmental Science and Technology 39:1921-1931.

Luoma, S.N., and P.S. Rainbow. 2008. Selenium: Dietary exposure, trophic transfer and food web effects. In: Metal contamination in aquatic environments: Science and lateral management. New York, NY (US); Cambridge University Press. 573p.

MacDonald, D.D. 1993. A discussion paper on the development and use of safety, application and uncertainty factors in the derivation of water quality guidelines for aquatic life. Hull, PQ (CA): Eco Health Branch, Environment Canada; November 1993. 48p.

MacDonald D.D., T. Berger, K. Wood, J. Brown, T. Johnsen, M.L. Haines, K. Brydges, M.J. MacDonald, S.L. Smith and D.P. Shaw. 1999. A compendium of environmental quality benchmarks. Report GBEI/EC-99-001. Vancouver, BC (CA): Environment Canada. Accessed on-line at http://www.pyr.ec.gc.ca/georgiabasin/reports/Environmental%20Benchmarks/GB-99-01 E.pdf

[Mackay] W.C. Mackay and Associates. 2006. Selenium concentrations in the tissues of fish from the Upper McLeod and Upper Smokey River systems. Innisfail, AB (CA): Alberta Sustainable Resource Development and Alberta Environment. 49p.

MacPherson, A., M.N.I. Barclay, R. Scott and R.W.S. Yates. 1997. Loss of Canadian wheat lowers selenium intake and status of the Scottish population. In: Fischer P.W.F., M.R. L'Abbé, K.A. Cockell and R.S. Gibson, editors. Trace elements in man and animals: Proceedings of the 9th international symposium on trace elements in man and animals. Ottawa: NRC Research Press1997: 203–05.

Maher, W, A. Roach, M. Doblin, T. Fan, S. Foster, R. Garrett, G. Möller, L. Oram and D. Wallschläger. 2010. Environmental sources, speciation, and partitioning of selenium. In: Adams, W.J., M.L. Brooks, C.G. Delos, S.N. Luoma, W.A. Maher, H.M. Ohlendorf, T.S. Presser and D.P. Shaw, editors. Proceedings from the SETAC workshop on ecological assessment of selenium in the aquatic environment. February 2009, Pensacola. Boca Raton FL (US): SETAC in collaboration with CRC Press.p47-91.

Maier, K.J., and A.W. Knight. 1993. Comparative acute toxicity and bioconcentration of selenium by the midge *Chironomus decorus* exposed to selenate, selenite, and seleno-DL- methionine. Archives of Environmental Contamination and Toxicology 25:365-370.

Maier, K.J., and A.W. Knight. 1994. Ecotoxicology of selenium in freshwater systems. Reviews of Environmental Contamination and Toxicology 134:31-48.

Maier, K.J., C.R. Nelson, F.C. Bailey, S.J. Klaine and A.W. Knight. 1998. Accumulation of selenium by the aquatic biota oa a watershed treated with seleniferous fertilizer. Bulletin of Environmental Contamination and Toxicology 60:409-416.

Majumdar B, Saini N, Agrawal S, Prakash C. Familiar manifestations of unfamiliar selenium toxicity. Indian J Dermatol [serial online] 2018 [cited 2021 Jan 6];63:430-1. Available from: <u>https://www.e-ijd.org/text.asp?2018/63/5/430/240107</u>

Malchow, D.E., A.W. Knight and K.J. Maier. 1995. Bioaccumulation and toxicity of selenium in *Chironomus decorus* larvae fed a diet of seleniferous *Selenastrum capricornutum*. Archives of Environmental Contamination and Toxicology 29:104-109.

Malloy, J.C., M.L. Meade and E.W. Olsen. 1999. Small-scale spatial variation of selenium concentrations in Chironomid larvae. Bulletin of Environmental Contamination and Toxicology 62:122-129.

Manitoba Conservation. 2002. Manitoba Water Quality Standards, Objectives, and Guidelines. Manitoba Conservation Report 2002-11. Final Draft: November 22, 2002. Accessed on- line at http://www.gov.mb.ca/waterstewardship/water_quality/quality/mwqsog_2002.pdf

Manitoba Conservation. 2007. Concentrations of metals and other elements in surface soils of Flin Flon, Manitoba and Creighton Saskatchewan, 2006. Report number 2007-01, July 2007. Manitoba Conservation. Accessed on-line at

http://www.gov.mb.ca/conservation/wildlife/ecosys/pdf/flinflon_synopsis.pdf

Marier, J.R., and J.F. Jaworski. 1983. Interactions of selenium. Associate Committee on Scientific Criteria of Environmental Quality, Division of Biological Sciences. Publication No. 20643 of the Environmental Secretariat. Ottawa, ON (CA): National Research Council of Canada. 84p.

Martin, A. J., D. Wallschläger, J. London, C.I.E. Wiramanaden, I.J. Pickering, N.Belzile, Y-W. Chen and S. Simpson. 2008. The biogeochemical behaviour of selenium in two lentic environments in the Elk River Valley, British Columbia. Proceedings of the 32nd Annual British Columbia Mine Reclamation Symposium; 2008 September 15–18; Kamloops, BC (CA): British Columbia Technical and Research Committee on Reclamation (TRCR). Accessed on-line at https://circle.ubc.ca/handle/2429/6934.

Martin, A.J., S. Simpson, S. Fawcett, C.I. E. Wiramanaden, I.J. Pickering, N. Belzile, Y-W. Chen, J. London and D. Wallschläger. 2011. Biogeochemical mechanisms of selenium exchange between water and sediments in two contrasting lentic environments. Environmental Science and Technology 45:2605-2612.

Martin, M., K.E. Osborn, P. Billig and N. Glickstein. 1981. Toxicities of ten metals to Crassostrea gigas and Mytilus edulis embryos and Cancer magister larvae. Marine Pollution Bulletin 12(9): 305-308.

May, T.W., M.J. Walther, J.D. Petty, J.F. Fairchild, J. Lucero, M. Delvaux, J. Manring, M. Armbruster and D. Hartman. 2001. An evaluation of selenium concentrations in water, sediment, invertebrates, and fish from the Republican River basin: 1997-1999. Environmental Monitoring and Assessment 72:179-206.

Mayland, H.F. 1994. Selenium in plant and animal nutrition. In: Frankenberger, W.T. and S. Benson, editors. Selenium in the environment. New York, NY (US): Marcel Dekker, Inc. p29-46.

McAuley, C., and L.D. Knopper. 2011. Impacts of traditional food consumption advisories: Compliance, changes in diet and loss of confidence in traditional foods. Environmental Health 10(Suppl 1):55

McDonald, L.E. 2008. Coalbed gas baseline water quality survey. Environmental Resource Information Project, Coalbed Gas Strategy. Report prepared for Resource Development and Geoscience Branch, Ministry of Energy, Mines and Petroleum Resources. 194p.

McDonald, L.E. 2009. Survey of selenium in water, zooplankton and fish in Lake Koocanusa, British Columbia, 2008. Cranbrook, BC (CA): Environmental Protection, British Columbia Ministry of Environment and the Elk Valley Selenium Task Force. 84p. Accessed on-line at http://a100.gov.bc.ca/pub/eirs/enterEirs.do?repository=EPD&redirect=Y (search keyword selenium)

McDonald, L.E., and M.M. Strosher. 1998. Selenium mobilization from surface coal mining in the Elk River basin, British Columbia: A survey of water, sediment and biota. Cranbrook, BC (CA): Ministry of Environment, Lands and Parks. 66p. Accessed on-line at

http://www.env.gov.bc.ca/wat/wg/studies/seleniumelk.pdf

McDonald, L.E., and M.M. Strosher. 2000. Selenium in the Elk River Basin, British Columbia: A review of findings and discussion of implications for assessment and management. Proceedings of the 24th Annual British Columbia Mine Reclamation Symposium; 2000 June 19-22; Williams Lake, BC (CA): British Columbia Technical and Research Committee on Reclamation (TRCR). Accessed on-line at https://circle.ubc.ca/handle/2429/6934

McDonald, B.G., A.M.H. deBruyn, J.R.F. Elphick, M. Davies, D. Bustard and P.M. Chapman. 2010. Developmental toxicity of selenium to Dolly Varden char (Salvelinus malma). Environmental Toxicology and Chemistry 29(12):2800-2805.

McIntyre, D.O., M.A. Pacheco, M.W. Garton, D. Wallschläger and C.G. Delos. 2008. Effect of selenium on juvenile bluegill sunfish at reduced temperature. Washington, DC (US): Health and Ecological Criteria Division, Office of Water, US Environmental Protection Agency, Contract #68-C-04-006. EPA-822-R-08-020.63p.

McKeague, J.A., and M.S. Woynetz. 1980. Background levels of minor elements in some Canadian soils. Geoderma 24:299-307 (cited in CCME 2009).

McNeal, J.M., and L.S. Balistrieri. 1989. Goechemistry and occurrenece of selenium: An overview. In: Jacobs, L.W., editor. Selenium in agriculture and the environment. Madison, WI (US): Soil Science Society of America (SSSA) Special Publication No 23. p1-13.

McPhail, J.D. 2007 The freshwater fishes of British Columbia. Edmonton, AB (CA): The University of Alberta Press. 692p.

Michigan Department of Community Health. 2010. Michigan fish advisory - A family guide to eating Michigan fish. Lansing MI (US): Division of Environmental Health. Accessed on- line at http://www.michigan.gov/documents/FishAdvisory03 67354 7.pdf

Michigan Department of Community Health. 2011. Interim consumption screening values for total selenium – Goose Lake selenium. Lansing, MI (US): U.S. Department of Health and Human Services, Agency for Toxic Substances and Disease Registry and Michigan Department of Community Health. Accessed on-line at

http://www.atsdr.cdc.gov/HAC/pha/GooseLakeSelenium/GooseLakeSeleniumLHCFINAL 3102011.pdf

Mikkelsen, R.L., A.L. Page and F.T. Bingham. 1989. Factors affecting selenium accumulation by agricultural crops. Selenium in agriculture and the environment. Madison, WI (US): Soil Science Society of America (SSSA) Special Publication No 23. p.65-94.

Miller, L.L., F. Wang, V.P. Palace and A. Hontela. 2007. Effects of acute and subchronic exposures to waterborne selenite on the physiological stress response and oxidative stress indicators in juvenile rainbow trout. Aquatic Toxicology 83:263-271.

Miller, L.L., J.B. Rasmussen, V.P. Palace and A. Hontela. 2009. Physiological stress response in white suckers from agricultural drain waters containing pesticides and selenium. Ecotoxicology and Environmental Safety 72:1249-1256.

Milne, J.B. 1998. The uptake and metabolism of inorganic selenium species. In: Frankenberger,W.T. and R.A. Engberg, editors. Environmental chemistry of selenium. New York, NY (US): Marcel Dekker Inc. p459-478.

Miltimore, J.E., A.L. Van Ryswyck, W.L. Prinble, F.M. Chapman and C.M. Kalnin. 1975. Selenium concentrations in British Columbia forages, grains, and processed feeds. Canadian Journal of Animal Science 55:101-111.

[MDDEP] Ministère du Développement durable, de l'Environnement et des Parcs (Ministry of Sustainable Development, Environment and Parks). 2009. Critères de qualité de l'eau de surface. Direction du suivi de l'état de l'environnement, Ministère du Développement durable, de l'Environnement et des Parcs, Québec, 506 p. Accessed on-line at <u>http://www.mddep.gouv.qc.ca/eau/criteres_eau/index.asp</u>

Minnow Environmental Inc. 2004. Selenium uptake in biota inhabiting lentic and lotic areas of the Elk River watershed. Sparwood, BC (CA): Elk Valley Selenium Task Force. 242p.

Minnow Environmental Inc. 2006. Evaluation of selenium related deformities among Columbia spotted frog tadpoles in wetlands downstream of coal mines in the Elk Valley, BC. Sparwood, BC (CA): Elk Valley Selenium Task Force. 182p.

Minnow Environmental Inc. 2013. Mount Polley Mine selenium monitoring 2012. Likely, BC (CA): Mount Polley Mining Corp. 88p.

Minnow Environmental Inc., Interior Reforestation Co. Ltd., and Paine, Ledge and Associates. 2007. Selenium monitoring in the Elk Valley watershed, B.C. (2006). Sparwood, BC (CA): Elk Valley Selenium Task Force. 579p.

Minnow Environmental Inc., Interior Reforestation Co. Ltd., and Paine, Ledge and Associates. 2009. Selenium monitoring in the Elk Valley watershed, B.C. (2009) (draft). Calgary, AB (CA): Teck Coal Limited. 363p.

Minnow Environmental Inc., Interior Reforestation Co. Ltd., and Paine, Ledge and Associates. 2011. Selenium Monitoring in the Elk River Watershed, B.C. (2009). Calgary AB (CA): Teck Coal Limited. 363p.

Minnow Environmental Inc., and Paine, Ledge and Associates. 2006. Evaluation of selenium related effects among embryo-larval longnose sucker in the Elk Valley, BC. Sparwood, BC (CA): Elk Valley Selenium Task Force. 206p.

[MoEE] Ministry of Environment and Energy. 1987. Rationale for the Establishment of Ontario's Water Quality Objectives. Toronto, ON (CA): Ontario Ministry of Environment and Energy. 236p.

[MoEE] Ministry of Environment and Energy. 1994. Water management policies, guidelines, provincial water quality objectives of the Ministry of Environment and Energy. Toronto, ON (CA): Ontario Ministry of Environment and Energy. 67p. Accessed on-line at

http://www.ene.gov.on.ca/stdprodconsume/groups/lr/@ene/@resources/documents/resourc e/std01_079681.pdf

Ministry of Water, Land and Air Protection. 2003. British Columbia field sampling manual for continuous monitoring and the collection of air, air-emission, water, wastewater, soil, sediment, and biological samples. 2003 edition (permittee). Victoria, BC (CA): BC Ministry of Water, Land, and Air Protection, Water, Air, and Climate Change Branch. 401p. Accessed on-line at http://www.env.gov.bc.ca/epd/wamr/labsys/field_man_03.html

Moore, S.B., J. Winckel, S.J. Detwiler S.A. Klasing, P.A. Gaul, N.R. Kanim, B.E. Kesser, A.B. DeBevec, K. Beardsley and L.K. Puckett. 1990. Fish and wildlife resources and agricultural drainage in the San Joaquin Valley, California. Sacramento, CA (US): San Joaquin Valley Drainage Program. 1030p.

Morrisey, C.A., L.I. Bendell-Young and J.E. Elliott. 2004. Linking contaminant profiles to the diet and breeding location of American dippers using stable isotopes. Journal of Applied Ecology 41:402-512.

Mosher, B.W., and R.A Duce. 1989. The atmosphere. In: Ihnat, M., editor. Occurrence and distribution of selenium. Boca Raton, FL (US): CRC Press Inc. p 295 - 326.

Muscatello, J.R., A.M. Belknap and D.M. Janz. 2008. Accumulation of selenium in aquatic systems downstream of a uranium mining operation in northern Saskatchewan, Canada. Environmental Pollution 156:387-393.

Muscatello, J.R., P.M. Bennett, K.T. Himbeault, A.M. Belknap and D.M. Janz. 2006. Larval deformities associated with selenium accumulation in northern pike (*Esox lucius*) exposed to metal mining effluent. Environmental Science and Technology 40:6506-6512.

Muscatello, J.R., and D.M. Janz. 2009a. Selenium accumulation in aquatic biota downstream of a uranium mining and milling operation. Science of the Total Environment 407:1318-1325.

Muscatello, J.R., and D.M. Janz. 2009b. Assessment of larval deformities and selenium accumulation in northern pike (*Esox lucius*) and white sucker (*Catostomus commersoni*) exposed to metal mining effluent. Environmental Toxicology and Chemistry 28(3):609- 618.

Nagpal, N.K. 2001. Ambient water quality guidelines for selenium: Overview report. Victoria, BC (CA): BC Ministry of Water, Land and Air Protection, Water Protection Branch. Accessed on-line at http://www.env.gov.bc.ca/wat/wq/BCguidelines/selenium.html

Nagpal, N. K., and Howell, K. 2001. Water quality guidelines for selenium: Technical appendix.Victoria, BC (CA): BC Ministry of Water, Land and Air Protection, Water Protection Branch. Accessed on-line at http://www.env.gov.bc.ca/wat/wq/BCguidelines/selenium/index.html

Nakamuro, K., T. Okouno and T. Hasegawa. 2000. Metabolism of selenoamino acids and contribution of selenium methylation to their toxicity. Journal of Health Sciences 46(6):418-421.

National Health and Medical Research Council and the Natural Resource Management Ministerial Council. 2011. Australia drinking water quality guidelines 6. National Health and Medical Research Council. Accessed on-line at: <u>http://www.nhmrc.gov.au/guidelines/publications-subject</u>

[NLM] National Library of Medicine. 1993. Glossary for chemists of terms used in toxicology. International Union of Pure and Applied Chemistry (IUPAC), Clinical Chemistry Division, Commission on Toxicology, IUPAC Recommendations 1993. Accessed on-line at <u>http://sis.nlm.nih.gov/enviro/glossarymain.html</u>

[NRC] National Research Council 1983. Selenium in nutrition. Revised Edition. Washington DC (US): Subcommittee on Selenium, Committee on Animal Nutrition, National Academy Press.

[NAQUADAT]. National Water Quality Data Bank. 1985. Draft document (unpublished). Water Quality Branch, Inland Waters Directorate, Environment Canada, Ottawa. (cited in CCME 2009, see GW section 4.2.4.1)

[NRCan] Natural Resources Canada. 2009a. Canadian minerals yearbook 2008. Accessed on- line at <u>http://www.nrcan-rncan.gc.ca/mms-smm/busi-indu/cmy-amc/2008revu/pdf/stat-stat- eng.pdf</u>

[NRCan] Natural Resources Canada. 2009b. Mineral production. Annual statistics. Preliminary 2008 mineral production of Canada by province and territory. Accessed on-line at http://mmsd.mms.nrcan.gc.ca/stat-stat/prod-prod/PDF/2008p.pdf

Nautilus Environmental and Interior Reforestation Co. Ltd. 2011. Evaluation of the effects of selenium on early life stage development of westslope cutthroat trout from the Elk Valley, BC. Sparwood, BC (CA): Elk Valley Selenium Task Force. 82p + appendices.

Nebraska Department of Environmental Quality. 2010. Findings of the 2006 to 2008 regional ambient fish tissue program in Nebraska. Lincoln, NB (US): Nebraska Department of Environmental Quality, Water Quality Assessment Section. Accessed on-line at <u>http://www.deq.state.ne.us/Publica.nsf/Pages/WAT155</u> Nelson, D.A., J.E. Miller and A. Calabrese. 1988. Effect of heavy metals on bay scallops, surf clams, and blue mussels in acute and long-term exposures. Archives of Environmental Contamination and Toxicology 17(5):595-600.

NewFields. 2009. Brown trout laboratory reproduction studies conducted in support of development of a site-specific selenium criterion. Pocatello ID (US): J.R. Simplot Company. Unpublished manuscript dated 2009-06-17. 101p.

[NLWRMD] Newfoundland and Labrador Water Resources Management Division. 2010. Selenium contours based on Canada-Newfoundland Water Quality Monitoring Agreement data. Water Resources Management Division and Environment Canada, Department of Environment and Conservation. Accessed on-line at http://www.env.gov.nl.ca/env/waterres/quality/background/contours.html

Neumann, P.B., T.W. Coffindaffer and P.E. Cothran. 1996. Clinical investigation comparing 1% selenium sulfide and 2% ketoconazole shampoos for dandruff control. Cosmet Dermatol 9(12):20-26 *in* [ATSDR] Agency for Toxic Substances and Disease Registry. 2003.

Toxicological profile for selenium. Atlanta, GA (US): US Department of Health and Human Services, Public Health Service. 457p. Accessed on-line at <u>http://www.atsdr.cdc.gov/toxprofiles/tp92.pdf</u>

Newman, M.C., A.W. McIntosh and V.A. Greenhut. 1983. Geochemical factors complicating the use of *aufwuchs* as a biomonitor for lead levels in two New Jersey reservoirs. Water Resources 17(6):625-630.

Newman, M.C., and M.A. Unger. 2003. Fundamentals of ecotoxicology, second edition. Boca Raton, FL (US): Lewis Publishers, CRC Press. 458p.

Noda, M., T. Takano and H. Sakurai. 1979. Mutagenic activity of selenium compounds. Mutation Research 66:175-179 (cited in CCME 2009).

Nogueira, C.W., and J.B.T. Rocha. 2011. Toxicology and pharmacology of selenium: emphasis on synthetic organoselenium compounds. Archives of Toxicology 85:1313-1359.

North/South Consultants Inc. 2009. Selenium concentrations in sediment, benthic invertebrates and fish collected from the North Saskatchewan River - 2009. Fort Saskatchewan, AB (CA): Shell Canada Limited, Report # 379-1b. 32p.

Norwegian Pollution Control Authority. 2008. Environmental fate and ecotoxicology of engineered nanoparticles. Report no. TA 2304/2007. Joner, E.J., T. Hartnik, and C.E. Amundsen, editors. Âs, Norway: Bioforsk. 64p.

Nova Scotia Environment. 2009. Nova Scotia Environment web site for surface water data, maps and publications. Accessed on-line at

http://www.gov.ns.ca/nse/surface.water/surfacewater.research.asp#databases

Nriagu, J.O. 1989. Global cycling of selenium. In: Ihnat, M., editor. Occurrence and distribution of selenium. Boca Raton, FL (US): CRC Press Inc. p328-340.

Nriagu, J.O., and J.M. Pacyna. 1988. Quantitative assessment of worldwide contamination of air, water and soils by trace metals. Nature 333(12):134-139.

Nriagu, J.O., and H.K. Wong. 1983. Selenium pollution of lakes near the smelters at Sudbury, Ontario. Nature 301:55-57.

[OEHHA] Office of Environmental Health Hazard Assessment. 2008. Development of fish contaminant goals and advisory tissue levels for common contaminants in California sport fish: Chlordane, DDTs, dieldrin, methylmercury, PCBs, selenium, and toxaphene. Sacramento, CA(US): California Environmental Protection Agency, Office of Environmental Health Hazard Assessment, Pesticide and Environmental Toxicology Branch.

[OEHHA] Office of Environmental Health Hazard Assessment. 2009. 2009 update of California sport fish advisories. Sacramento, CA (US): California Environmental Protection Agency, Office of Environmental Health Hazard Assessment. Accessed on-line at http://www.oehha.ca.gov/fish/pdf/DiscAdvyUpdates032309.pdf

[OEHHA] Office of Environmental Health Hazard Assessment. 2010. Public health goals for contaminants in drinking water: Selenium. Sacramento, CA (US): California Environmental Protection Agency, Office of Environmental Health Hazard Assessment. Accessed on-line at <u>http://www.oehha.ca.gov/fish/pdf/DiscAdvyUpdates032309.pdf</u>

Ogle, R.S., K.J. Maier, P. Kiffney, M.J. Williams, A. Brasher, L.A. Melton and A.W. Knight. 1988. Bioaccumulation of selenium in aquatic ecosystems. Lake and Reservoir Management 4(2):165-173.

Ogle, R.S., and A.W. Knight. 1996. Selenium bioaccumulation in Aquatic ecosystems: 1. Effects of sulfate on the uptake and toxicity of selenate in *Daphnia magna*. Archives of Environmental Contamination and Toxicology 30:274-279.

Ohlendorf, H.M. 1989. Bioaccumulation and effects of selenium in wildlife. In: Jacobs, L.W., editor. Selenium in agriculture and the environment. Madison WI (US): Soil Science Society of America (SSSA) Special Publication No 23. p133-177.

Ohlendorf, H.M. 2003. Ecotoxicology of selenium. In: Hoffman, D.J., B.A. Rattner, G.A. Burton, Jr., J. Cairns, Jr., editors. Handbook of ecotoxicology. 2nd ed. Boca Raton, FL (US): CRC Press Inc. p465-500.

Ohlendorf, H.M. 2007. Threshold values for selenium in Great Salt Lake: Selections by the science panel. Final technical memorandum. Prepared by CH2M HILL for the Great Salt Lake Science Panel. Salt Lake City, UT (US): Utah Department of Environmental Quality. Accessed on-line at <u>http://www.deq.utah.gov/Issues/GSL_WQSC/selenium.htm</u>

Ohlendorf, H.M., S.M. Covington, E.R. Byron and C.A. Arenal. 2008. Approach for conducting site-specific assessments of selenium bioaccumulation in aquatic systems. Washington DC (US): North American Metals Council. Accessed on-line at http://www.namc.org/selenium.html

Ohlendorf, H.M., S.M. Covington, E.R. Byron and C.A. Arenal. 2011. Conducting site-specific assessments of selenium bioaccumulation in aquatic systems. Integrated Environmental Assessment and Management 7(3):314-324.

Ohlendorf, H.M., J. DenBleyker, W.O. Moellmer and T. Miller. 2009. Development of a site- specific standard for selenium in open waters of Great Salt Lake, Utah. Natural Resources and Environmental Issues 15, Article 4. Accessed on-line at http://digitalcommons.usu.edu/nrei/vol15/iss1/4/

Ohlendorf, H.M., and G.H. Heinz. 2011. Selenium in birds. In: W.N. Beyer and J.P. Meador, editors. Environmental contaminants in biota: interpreting tissue concentrations. 2nd ed. Boca Raton, FL (US): CRC Press Inc., Taylor and Francis Group. p.669-701.

Ohlendorf, H.M., D.J. Hoffman, M.K. Saiki and T.W. Aldrich. 1986. Embryonic mortality and abnormalities of aquatic birds: Apparent impacts of selenium from irrigation drainwater. Science of the Total Environment 52:49-63.

Ohlendorf, H.M., A.W. Kilness, J.L. Simmons, R.K. Stroud, D.J. Hoffman and J.F. Moore. 1988. Selenium toxicosis in wild aquatic birds. Journal of Toxicology and Environmental Health 24: 67-92.

Ohlendorf, H.M., and G.M. Santolo. 1994 Kesterson Reservoir — Past, present, and future: An ecological risk assessment. In: Frankenberg, W.T., and S. Bensen, editors. Selenium in the environment. New York, NY (US): Marcel Dekker, Inc. p 69-117.

Oldfield J. E. 2002. A brief history of selenium research: from alkali disease to prostate cancer (from poison to prevention). American Society of Animal Science. Accessed on-line at http://www.asas.org/Bios/Oldfieldhist.pdf

[Ontario MoE] Ontario Ministry of Environment. 2004. City of Greater Sudbury 2001 urban soil survey. Toronto, ON (CA): Ontario Ministry of the Environment, Environmental Sciences and Standards Division. Report No. SDB-008-3511-2003. Accessed on-line at http://www.sudburysoilsstudy.com/EN/media/support/reports/2001SoilsData/VOL I/MOE Report.pdf

Orr, P.L., K.R. Guiguer and C.K. Russel. 2006. Food chain transfer of selenium in lentic and lotic habitats of a western Canadian watershed. Ecotoxicology and Environmental Safety 63:175-188.

Orr, P.L., C.I.E. Wiramanaden, M.D. Paine, W. Franklin, and C. Fraser. 2012. Food chain model based on field data to predict westslope cutthroat trout (*Oncorhynchus clarkii lewesi*) ovary selenium concentrations from water selenium concentrations in the Elk Valley, British Columbia. Environmental Toxicology and Chemistry 31(3):672-680.

Ort, J.F., and J.D. Latshaw. 1978. The toxic level of sodium selenite in the diet of laying chickens. Journal of Nutrition 108:1114-1120.

Outridge, P.M., A.M. Scheuhammer, G.A. Fox, B.M. Braune, L.M. White, L.J. Gregorich and C. Keddy. 1999. An assessment of the potential hazards of environmental selenium for Canadian water birds. Environmental Reviews 7:81-96.

Palace, V.P., N.M. Halden, P. Yang, R.E. Evans and G. Sterling. 2007. Determining residence patterns of rainbow trout using laser ablation inductively coupled plasma mass spectrometry (LA-ICP-MS) analysis of selenium in otoliths. Environmental Science and Technology 41:3679-3683.

Palace, V.P., J.E. Spallholz, J. Holm, K. Wautier, R.E. Evans and C.L. Baron. 2004. Metabolism of selenomethionine by rainbow trout (Oncorhynchus mykiss) embryos can generate oxidative stress. Ecotoxicology and Environmental Safety 58:17-21.

Paveglio, F.L., and K.M. Kilbride. 2007. Selenium in aquatic birds from central California. Journal of Wildlife Management 71(8):2550-2555.

Pease, W., K. Taylor, J. Lacy and M. Carlin. 1992. Technical report: Derivation of site-specific water quality criteria for selenium in San Francisco Bay. Oakland, CA (US): San Francisco Bay Regional Water Quality Control Board. 44p.

Peterson, J.A., and A.V. Nebeker. 1992. Estimation of waterborne selenium concentrations that are toxicity thresholds for wildlife. Archives of Environmental Contamination and Toxicology 23:154-162.

Phippen, B.W. 2003a. Water quality assessment of the Salmon River above Alces River (1981- 2002). Kamloops BC (CA): BC Ministry of Environment and Environment Canada Canada-British Columbia Water Quality Monitoring Agreement. 43p. Accessed on-line at

http://a100.gov.bc.ca/appsdata/acat/documents/r11292/salmon_river_hyder_119706375841 1_8e248a68ce6db2058957a3c4c72b7f9946ebc46ad7f.pdf

Phippen, B.W. 2003b. Water quality assessment of the Peace River near Hyder, Alaska (1984- 2002). Kamloops BC (CA): BC Ministry of Environment and Environment Canada, Canada-British Columbia Water Quality Monitoring Agreement. 42p. Accessed on-line at <u>http://www.env.gov.bc.ca/wat/wq/quality/peace_alces/peace_river_alces_river.pdf</u>

Pieterek, T., and M. Pietrock. 2012. Comparative selenium toxicity to laboratory-reared and field-collected *Hyalella azteca* (Amphipoda, Hyalellidae). Water, Air and Soil Pollution 223:4245-4252.

Pollack, B., and K.L. Machin. 2009. Effects of cadmium, mercury, and selenium on reproductive indices in male lesser scaup (*Aythya affinis*) in the western boreal forest. Archives of Environmental Contamination and Toxicology 54:730-739.

Pommen, L.W. 2005. Water quality assessment of Flathead River at International Border (1980- 2004). Victoria, BC (CA): BC Ministry of Environment and Environment Canada, Canada- British Columbia Water Quality Monitoring Agreement. 48p. Accessed on-line at http://www.env.gov.bc.ca/wat/wq/quality/flathead/flathead river wq 2004.pdf

Pond, G.J., M.E. Passmore, F.A. Borsuk, L. Reynolds and C.J. Rose. 2008. Downstream effects of mountaintop coal mining: comparing biological conditions using family- and genus- level macroinvertebrate bioassessment tools. Journal of the North American Benthological Society 27(3):717-737.

Posthuma, L., G.W. Suter and T.P. Traas. 2002. Species sensitivity distributions in ecotoxicology. Boca Raton, FL(US): CRC Press.

Presser, T. S. 1994a. Geologic origin and pathways of selenium from the California Coast Ranges to the west-central San Joaquin Valley. In: Frankenberger, W.T. and S. Benson, editors. Selenium in the environment. New York, NY (US): Marcel Dekker Inc. p139-156.

Presser, T.S. 1994b. The Kesterson effect. Environmental Management 18(3):437-454.

Presser, T.S., and S.N. Luoma. 2006. Forecasting selenium discharges to the San Francisco Bay- Delta estuary: Ecological effects of a proposed San Luis Drain extension. Professional Paper 1646. Reston, VA (US): U.S. Department of the Interior, U.S. Geological Survey. 209p.

Presser, T.S., and S.N. Luoma. 2010. A methodology for ecosystem-scale modeling of selenium. Integrated Environmental Assessment and Management 6(4):685-710.

Presser, T.S., and H.M. Ohlendorf. 1987. Biochemical cycling of selenium in the San Joaquin Valley, California, USA. Environmental Management 11(6):805-821.

Presser, T.S., D.Z. Piper, K.J. Bird, J.P. Skorupa, S.J. Hamilton, S.J. Detwiler and M.A. Huebner. 2004. The Phosphoria Formation: A model for forecasting global selenium sources to the environment. In: J.R. Hein, editor. Handbook of exploration and environmental geochemistry. Amsterdam, NL: Elsevier. p299-319.

Presser, T.S., M.A. Sylvester and W.H. Low. 1994. Bioaccumulation of selenium from natural geologic sources in Western States and its potential consequences. Environmental Management 18(3):423-436.

Puls, R. 1994. Mineral levels in animal health: Diagnostic data. 2nd ed. Clearbrook, BC (CA): Sherpa International. 360p.

Purkerson, D.G., M.A. Doblin, S.M. Bollens, S.N. Luoma and G.A. Cutter. 2003. Selenium in San Francisco Bay zooplankton: potential effects of hydrodynamics and food web interactions. Estuaries 26(4A):956-969.

Pyle, G.G., S.M. Swanson, and D.M. Lehmkuhl. 2001. Toxicity for uranium mine-receiving waters to caged fathead minnows, *Pimephales promelus*. Ecotoxicology and Environmental Safety 48(2):202-214.

Quinn, C.F., M.L. Galeas, J.L. Freeman and E.A.H. Pilon-Smits. 2007. Selenium: Deterrence, toxicity, and adaptation. <u>Integrated Environmental Assessment and Management 3:460-</u> <u>462.</u>

Ralston, N.V.C., J. Unrine and D. Wallschläger. 2008. Biogeochemistry and analysis of selenium and its species. Washington DC (US): North American Metals Council. 61p.

Rayman, M. 2000. The importance of selenium to human health. The Lancet 356:233-241. Rayman, M. 2012. Selenium and human health. The Lancet 379:1256-1268.

Rayman, M., H.G. Infante and M. Sargent. 2008. Food-chain selenium and human health: spotlight on speciation. British Journal of Nutrition 100:254-268.

Raymond, B.A., D.P. Shaw, K. Kim, J. Nener, C. Baldazzi, R. Brewer, G. Moyle, M. Sekela and T. Tuominen. 2001. Fraser River Action Plan resident fish contaminant and health assessment. Vancouver, BC (CA): Environment Canada, Environmental Conservation Branch. Report no. DOE FRAP 1998-20. 429p. Accessed on-line at http://research.rem.sfu.ca/frap/9820.pdf

Reilly, C. 2006. Selenium in food and health. Second edition. New York, NY (US): Springer Science and Business Media LLC.

Rex, J.F., and N.B. Carmichael. 2002. Guidelines for monitoring fine sediment deposition in streams. Filed test edition. Victoria, BC (CA): BC Ministry of Environment, Resource Information and Standards Committee. 121p. Accessed on-line at

http://www.ilmb.gov.bc.ca/risc/pubs/aquatic/sediment/Sediment.pdf

Richardson, G.M. 1997. Compendium of Canadian human exposure factors for risk assessment. Ottawa, ON (CA): O'Connor Associates Environmental Inc. (cited in Health Canada 2004b)

Riedel, G.F., and J.G. Sanders. 1996. The influence of pH and media compositions on the uptake of inorganic selenium by *Chlamydomonas reinhardtii*. Environmental Toxicology and Chemistry 15(9):1577-1583.

Rosenfeld, I., and O.A. Beath. 1964. Selenium in relation to public health. In: Selenium: Geobotany, biochemistry, toxicity, and nutrition. New York, NY (US): Academic Press, p 279-289. (cited in OEHHA 2010).

Rudolph, B.L., I. Andreller and C.J. Kennedy. 2008. Reproductive success, early life stage development, and survival of westslope cutthroat trout (*Oncorhynchus clarki lewisi*) exposed to elevated selenium in an area of active coal mining. Environmental Science and Technology 42:3109-3114.

Saiki, M.K., B.A. Martin, S.E. Schwarzbach and T.W. May. 2001. Effects of an agricultural drainwater bypass on fishes inhabiting the Grassland Water District and the Lower San Joaquin River, California. North American Journal of Fisheries Management 21:624-635.

Saiki, M.K., B.A. Martin and T.W. May. 2004. Reproductive status of western mosquitofish inhabiting selenium-contaminated waters in the Grassland Water District, Merced County, California. Archives of Environmental Contamination and Toxicology 47:363-369.

Sanders, R.W., and C.C. Gilmore. 1994. Accumulation of selenium in a model freshwater microbial food web. Applied and Environmental Microbiology 60(8):2677-2683.

Sandholm, M., H.E. Oksanen and L. Pesonen. 1973. Uptake of selenium by aquatic organisms. Limnology and Oceanography 18(3):496-499.

Santolo, G.M., J.T. Yamamoto, J.M. Pisenti and B.W. Wilson. 1999. Selenium accumulation and effects on reproduction in captive American kestrels fed selenomethionine. Journal of Wildlife Management 63:502-511.

Sappington, K.G. 2002. Development of aquatic life criteria for selenium: a regulatory perspective on critical issues and research needs. Aquatic Toxicity 57:101-113.

Saskatchewan Environment. 2006. Surface water quality objectives. Interim ed. EPB 356. Regina, SK (CA): Saskatchewan Ministry of Environment. Accessed on-line at http://www.publications.gov.sk.ca/details.cfm?p=24517

Saskatchewan Ministry of Environment. 2008. Elevated lead, nitrate and selenium in drinking water 1995-2008. Regina, SK (CA): Saskatchewan Ministry of Environment. Accessed on- line at http://www.saskh2o.ca/PDF/MapLead_Nitrate_Selenium.pdf.

Schlekat, C.E., D.G. Purkerson and S.N. Luoma. 2004. Modeling selenium bioaccumulation through arthropod food webs in San Francisco Bay, California, USA. Environmental Toxicology and Chemistry 23(12):3003-3010.

Schultz, R., and R. Hermanutz. 1990. Transfer of toxic concentrations of selenium from parent to progeny in the fathead minnow (*Pimephales promelas*). Environmental Contamination and Toxicology 45:568-573.

Schwarz, C.J. 2011. Estimating tissue transfer functions for selenium in fish. Burnaby, BC(CA): Department of Statistics and Actuarial Science, Simon Fraser University. Report prepared for the BC Ministry of Environment. 113p. Accessed on-line at

http://www.env.gov.bc.ca/wat/wq/wq_guidelines.html (see Appendix A of the Se WQG documents)

SciWrite. 2004. Uptake of selenium and productivity in waterfowl in the Elk River Valley, British Columbia. Sparwood, BC (CA): Elk Valley Selenium Task Force. 42p.

Scott, W.B., and E.J. Crossman. 1973. Freshwater fishes of Canada. Fisheries Research Board of Canada, Bulletin 184. Ottawa, ON (CA). 974p.

See, K.A., P.A. Lavercombe, J. Dillon and R. Ginsberg. 2006. Accidental death from acute selenium poisoning. Medical Journal of Australia 185:388-389.

Seiler, R.L., J.P. Skorupa and L.A. Peltz. 1999. Areas susceptible to irrigation-induced selenium contamination of water and biota in the Western United States. U.S. Geological Survey Circular 1180. Accessed on-line at http://pubs.usgs.gov/circ/circ1180/pdf/circ1180.pdf

Seiler, R.L., J.P. Skorupa, D.L. Naftz and B.T. Nolan. 2003. Irrigation-induced contamination of water, sediment, and biota in the Western United States – Synthesis of data from the National Irrigation Water Quality Program. Denver, CO (US): U.S. Geological Survey, National Irrigation Water Quality Program, Professional Paper 1655. 131p.

Severi, A. 2001. Toxicity of selenium to *Lemna minor* in relation to sulfate concentration. Physiologia Plantarium 113:523-532.

Shamberger, R.J. 1969. Possible protective effect of selenium against human cancer. Canadian Medical Association Journal 100:682.

Shamberger, R.J. 1985. The genotoxicity of selenium. Mutation Research/Reviews in Genetic Toxicology 154(1):29-48.

Simmons, D.B.D., and D. Wallschläger. 2005. A critical review of the biogeochemistry and ecotoxicology of selenium in lotic and lentic environments. Environmental Toxicology and Chemistry 24(6):1331-1343.

Skorupa, J.P. 1998. Selenium poisoning of fish and wildlife in nature: Lessons from twelve real- world examples. In: Frankenberger, W.T., and R.A. Engberg, editors. Environmental chemistry of selenium. New York, NY (US): Marcel Dekker. p315-418.

Skorupa, J.P. 1999. Beware missing data and undernourished statistical models. Human and Ecological Risk Assessment 5(6):1255-1262.

Skorupa, J.P., S.P. Morman and J.S. Sefchick-Edwards. 1996. Guidelines for interpreting selenium exposures of biota associated with non-marine aquatic habitats. Sacramento CA (US): U.S. Fish and Wildlife Service, National Irrigation Water Quality Program. 74p.

Skorupa, J.P., and H.M. Ohlendorf. 1991. Contaminants in drainage water and avian risk thresholds. In: Dinar, A., and D. Zilberman, editors. The economics and management of water and drainage in agriculture. New York, NY (US): Kluwer Academic Publishers. p345-368.

Smith, M.I., and B.B. Westfall. 1936. The selenium problem in relation to public health. Public Health Reports 51: 1496-1505.

Smith, M.I., and B.B. Westfall. 1937. Further field studies on the selenium problem in relation to public health. Public Health Reports 52: 1375-1384.

Somers, G., B. Raymond and W. Uhlman. 1999. PEI water quality interpretive report. Charlottetown, PE (CA): PEI Department of Environment, Energy and Forests. 74p. Accessed on-line at http://www.gov.pe.ca/photos/original/waterquality 99.pdf

Sorensen, E.M. 1991. Metal poisoning in fish. Boca Raton, FL (US): CRC Press.

Sorenson, E.M., P.M. Cumbie, T.L. Bauer, J.S. Bell and C.W Harlan. 1984. Histopathology, hematological, condition-factor, and organ weight changes associated with selenium accumulation in fish from Belews Lake, North Carolina. Archives of Environmental Contamination and Toxicology 13:153-162.

Spallholz, J.E. 1994. On the nature of selenium toxicity and carcinostatic activity. Free Radical Biology and Medicine 17(1):45-64.

Spallholz, J.E. and D.J. Hoffman. 2002. Selenium toxicity: Cause and effects in aquatic birds. Aquatic Toxicology 57:27-37.

Spencer, P., M.F. Bowman and M.G. Dube. 2008. A multitrophic approach to monitoring the effects of metal mining in otherwise pristine and ecologically sensitive rivers in Northern Canada. Integrated Environmental Assessment and Management 4(3):327-343.

Stanley, T.R., G.J. Smith, D.J. Hoffman, G.H. Heinz and R. Rosscoe. 1996. Effects of boron and selenium on mallard reproduction and duckling growth and survival. Environmental Toxicology and Chemistry 15(7):1124-1132.

[Stantec] Stantec Consulting Ltd. 2009. Metals in surface water, sediment, fish and blueberry samples collected near Flin Flon Manitoba and Creighton Saskatchewan. File No. 160960429, April 2009. 193p. Accessed on-line at http://www.flinflonsoilsstudy.com/documents/METALSINSURFACEWATERSEDIMEN TFISHANDBLUEBERRYSAMPLES.pdf

Statistics Canada. 2010. Report on energy supply and demand in Canada 2008. Manufacturing and Energy Division, Catalogue No. 57-003-X. February 2010. Accessed on-line at <u>http://dsp-psd.pwgsc.gc.ca/collection_2010/statcan/57-003-X/57-003-x2008000-eng.pdf</u>

Stephan, C.E., D.I. Mount, D.J. Hansen, J.R. Gentile, G.A. Chapman and W.A. Brungs. 1985. Guidelines for deriving numerical national water quality criteria for the protection of aquatic organisms and their uses. Washington DC (US): U.S. EPA, report PB85-227049. 59p. Accessed on-line at http://water.epa.gov/scitech/swguidance/standards/criteria/aqlife/

Stewart, A.R., S.N. Luoma, C.E. Schletkat, M.A. Doblin and K.A. Hieb. 2004. Food web pathway determines how selenium affects aquatic ecosystems: a San Francisco Bay case study. Environmental Science and Technology 38:4519-4526.

Stewart, R., M. Grosell, D. Buchwalter, N. Fisher, S. Luoma, T. Mathews, P. Orr and W-X. Wang. 2010. Bioaccumulation and trophic transfer of selenium. In: W.J. Adams, M.L. Brooks, C.G. Delos, S.N. Luoma, W.A. Maher, H.M. Ohlendorf, T.S. Presser and D.P. Shaw, editors. Proceedings from the SETAC workshop on ecological assessment of selenium in the aquatic environment. February 2009, Pensacola. Boca Raton FL (US): SETAC in collaboration with CRC Press. p93-139.

Stranges, S., S. Sieri, M. Vinceti, S. Grioni, E. Guallar, M. Laclaustra, P. Muti, F. Berrino and V. Krogh. 2010. A prospective study of dietary selenium intake and risk of type 2 diabetes. BMC Public Health 10:564.

Subramanian, K.S., and J.C. Méranger. 1984. A survey of sodium, potassium, barium, arsenic, and selenium in Canadian drinking water supplies. Atomic Spectroscopy 5:34-36.

Sui, K.W., and S.S. Berman. 1989. The marine environment. In: Ihnat, M., editor. Occurrence and distribution of selenium. Boca Raton, FL (US): CRC Press Inc., p263 – 294.

Suter, G.W., and L.W. Barnthouse. 2000. Modelling toxic effects on populations: Experience from aquatic studies. In: Albers, P.H., G.H. Heinz and H.M. Ohlendorf, editors. Environmental contaminants and terrestrial vertebrates: effects on populations, communities, and ecosystems. Pensacola, FL (US): SETAC Special Publication, SETAC Press. p177-187.

Sverdrup, H.U., M.W. Johnson and R.H. Fleming. 1942. The oceans, their physics, chemistry and general biology. New York, NY (US): Prentice-Hall. 1087p. Accessed on-line at http://ark.cdlib.org/ark:/13030/kt167nb66r/ and at http://ark.cdlib.org/ark:/13030/kt167nb66r/ and at

Swain, L.G. 2007a. Water quality assessment of Fraser River at Red Pass (1984-2004). Victoria, BC (CA): BC Ministry of Environment and Environment Canada, Canada-British Columbia Water Quality Monitoring Agreement. 42p. Accessed on-line at http://www.env.gov.bc.ca/wat/wq/quality/wqfrrp/fraser_red_pass_2006.pdf

Swain, L.G. 2007b. Water quality assessment of Fraser River at Marguerite (1984-2004). Victoria, BC (CA): BC Ministry of Environment and Environment Canada, Canada-British Columbia Water Quality Monitoring Agreement. 80p. Accessed on-line at

http://www.env.gov.bc.ca/wat/wq/quality/sowqofr2/fraser_marguerite.pdf

Swain, L.G. 2007c. Water quality assessment of Fraser River at Hope (1979-2004). Victoria, BC (CA): BC Ministry of Environment and Environment Canada, Canada-British Columbia Water Quality Monitoring Agreement. 80p. Accessed on-line at

http://www.env.gov.bc.ca/wat/wq/quality/hope/wq_fraser_riv_hope_2004.pdf

Swain, L.G. 2007d. Water quality assessment of Elk River at Highway 93 near Elko (1968- 2005). Victoria, BC (CA): BC Ministry of Environment and Environment Canada, Canada- British Columbia Water Quality Monitoring Agreement. 103p. Accessed on-line at

http://www.env.gov.bc.ca/wat/wq/quality/elk_riv_hwy93/elk_hwy93_05.pdf

Swain, L.G. 2007e. Water quality assessment of Elk River at Sparwood (2002-2005). Victoria, BC (CA): BC Ministry of Environment and Environment Canada, Canada-British Columbia Water Quality Monitoring

Agreement. 67p. Accessed on-line at http://www.env.gov.bc.ca/wat/wq/quality/elk_sparwood/elk_sparwood_05.pdf

Swift, M.C. 2002. Stream ecosystem response to, and recovery from, experimental exposure to selenium. Journal of Aquatic Ecosystem Stress and Recovery 9:159-184.

Tashjian, D.H., S.J. Teh, A. Sogomonyan and S.S.O. Hung. 2006. Bioaccumulation and chronic toxicity of dietary L-selenomethionine in juvenile white sturgeon (*Acipenser transmountanus*). Aquatic Toxicology 79(4):401-409.

Teh, S.J., X. Deng, F-C. Teh, S.S.O. Hung, T. W-M. Fan, J.Liu and R.M. Higashi. 2004. Chronic effects of dietary selenium on juvenile Sacramento splittail (*Pogonichthys macrolepidotus*). Environmental Science and Technology 38:6085-6093.

Terry, N., A.M. Zayed, M.P. deSouza and A.S. Tarun. 2000. Selenium in higher plants. Annual Review of Plant Physiology and Plant Molecular Biology 51:401-432.

Thomas, J.K., and D.M. Janz. 2011. Dietary selenomethionine exposure in adult zebrafish alters swimming performance, energetics and the physiological stress response. Aquatic Toxicology 102:79-86.

Thomas, B.V., A.W. Knight and K.L Maier. 1999. Selenium bioaccumulation by the water boatman *Trichocorixa reticulate* (Guerin-Meneville). Archives of Environmental Contamination and Toxicology 36:295-300.

Thompson, J.N., P. Erdody and D.C. Smith. 1975. Selenium content of food consumed by Canadians. The Journal of Nutrition 105:274–77.

Thompson, P.A., J. Kurias and S. Mihok. 2005. Derivation and use of sediment quality guidelines for ecological risk assessment of metals and radionuclides released to the environment from uranium mining activities in Canada. Environmental Monitoring and Assessment 110:71-85.

Turner, M.A., and A.L. Swick. 1983. The English-Wabigoon River system: IV. Interaction between mercury and selenium accumulated from waterborne and dietary sources by northern pike (*Esox lucius*). Canadian Journal of Fisheries and Aquatic Science 40:2241-2250.

[USDOI] United States Department of the Interior. 1998. Guidelines for interpretation of the biological effects of selected constituents in biota, water and sediment — Selenium. National Irrigation Water Quality Program Information Report No. 3. November 1998. 47p. Accessed on-line at http://www.usbr.gov/niwqp/guidelines/pdf/Selenium.pdf

[USEPA] United States Environmental Protection Agency. 1987. Ambient water quality criteria for selenium – 1987. EPA-440/5-87-008, September 1987. Washington, DC (US): Office of Science and Technology, Office of Water, U.S. EPA. 128p. Accessed on line at http://www.epa.gov/nscep/index.html

[USEPA] United States Environmental Protection Agency. 1991. National Primary and Secondary Drinking Water Regulations, Final Rule, Selenium, January. U.S. EPA, Rules and Regulations, 40 CFR Parts 141, 142, and 143, 56 FR (20):3538-9. Accessed online at

http://water.epa.gov/lawsregs/rulesregs/sdwa/chemicalcontaminantrules/upload/FR1-30-91.pdf

[USEPA] United States Environmental Protection Agency. 1994. Determination of trace elements in water and wastes by inductively coupled plasma – mass spectrometry. Cincinnati, OH (US): U.S. Environmental Protection Agency. 57p. Accessed on-line at http://water.epa.gov/scitech/methods/cwa/methods_index.cfm

[USEPA] United States Environmental Protection Agency. 1996a. Method 3050B: Acid digestion of sediments, sludges and soils. Washington, DC (US): U.S. Environmental Protection Agency. 12p. Accessed on-line at http://www.epa.gov/osw/hazard/testmethods/sw846/pdfs/3050b.pdf

[USEPA] United States Environmental Protection Agency. 1996b. Method 3052: Microwave assisted acid digestion of siliceous and organically bound based matrices. Washington, DC (US): U.S. Environmental Protection Agency. 20p. Accessed on-line at http://www.epa.gov/osw/hazard/testmethods/sw846/pdfs/3052.pdf

[USEPA] United States Environmental Protection Agency. 2000a. Guidance for assessing chemical contaminant data for use in fish advisories. Volume 1. Fish Sampling and Analysis. Third Edition. EPA 823-B-00-008. November 2000. Washington, DC (US): U.S. Environmental Protection Agency, Office of Water.

[USEPA] United States Environmental Protection Agency. 2000b. Guidance for assessing chemical contaminant data for use in fish advisories. Volume 2. Risk assessment and fish consumption limits. Third Edition. EPA 823-B-00-008. November 2000. Washington, DC (US): U.S. Environmental Protection Agency, Office of Water.

[USEPA] United States Environmental Protection Agency. 2000c. Overview of Risk Management. Volume 3. Risk assessment and fish consumption limits. 3rd edition. EPA 823-B-00-008. November 2000. Washington, DC (US): U.S. Environmental Protection Agency, Office of Water.

[USEPA] United States Environmental Protection Agency. 2000d. Risk Communication. Volume 4. Risk assessment and fish consumption limits. 3rd edition. EPA 823-B-00-008. November 2000. Washington, DC (US): U.S. Environmental Protection Agency, Office of Water.

[USEPA] United States Environmental Protection Agency. 2004. Draft aquatic life water quality criteria for selenium - 2004. EPA-822-D-04-001, November 2004. Washington DC (US): U.S. Environmental Protection Agency, Office of Science and Technology. 90p. Accessed on-line at <u>http://water.epa.gov/scitech/swguidance/standards/upload/2008_10_27_criteria_seleniums_maintext.</u> <u>pdf</u>

[USEPA] United States Environmental Protection Agency. 2006. EPA Science Advisory Board (SAB) consultation on a proposed framework for revising the guidelines for deriving water quality criteria for the protection of aquatic life. Summary of the minutes of the SAB meeting Sept 21, 2005. Accessed online at <u>http://nepis.epa.gov/EPA/html/pubalphaindex.html</u>

[USEPA] United States Environmental Protection Agency. 2009. Drinking water contaminants — List of contaminants and their MCLs. EPA 816-F-09-0004, May 2009. Accessed on- line at http://water.epa.gov/drink/contaminants/index.cfm#List

[USEPA] United States Environmental Protection Agency. 2011a. Letter from C. L. Campbell, US EPA Region 8, to A. Smith, Utah Department of Environmental Quality, Re: EPA Action on the Gilbert Bay selenium criterion and footnote (14). Dated December 12, 2011.Accessed on-line at http://www.deq.utah.gov/workgroups/gsl_wqsc/docs/2012/Jan/2011UTGilbertBaySeEPA ApprovalFinal.PDF

[USEPA] United States Environmental Protection Agency. 2011b. Appendix G: Summaries of chronic studies considered for FCV derivation. In: Draft aquatic life water quality criteria for selenium – 2011. Washington, DC (US): U.S. Environmental Protection Agency, Office of Science and Technology. 101p.

[USEPA] United States Environmental Protection Agency. 2011c. Appendix C: Conversions. In: Draft aquatic life water quality criteria for selenium – 2011. Washington, DC (US): U.S. Environmental Protection Agency, Office of Science and Technology. 26p.

[USEPA Mid-Atlantic Region] United States Environment Protection Agency Mid-Atlantic Region. 2010. Regional screening level (RSL) fish ingestion table. November 2010. Accessed on-line at <u>http://www.epa.gov/reg3hwmd/risk/human/pdf/NOVEMBER_2010_FISH.pdf</u>

[USGS] United States Geological Survey. 2008. 2007 Minerals yearbook – Selenium and tellurium (advance release). Michael W. George, author, January 2008. Accessed on-line at http://minerals.usgs.gov/minerals/pubs/commodity/selenium/myb1-2007-selen.pdf

[USGS] United States Geological Survey. 2009a. Minerals information. Accessed on-line at http://minerals.usgs.gov/minerals/pubs/commodity/selenium/

[USGS] United States Geological Survey. 2009b. Mineral commodity summaries, January 2009. Accessed on-line at http://minerals.usgs.gov/minerals/pubs/commodity/selenium/mcs-2009-selen.pdf

[USGS] United States Geological Survey. 2009c. Bacterial formation of nano-scaled materials from group 15 and 16 elements (Se, Te, and As). Nanatechnology. Accessed on-line at http://microbiology.usgs.gov/nanotechnology_energy_sources.html

United States National Institute of Health. 2009. Dietary Supplement Fact Sheet: Selenium. Bethesda, MD (US):. U.S. National Institute of Health, Office of Dietary Supplements.

Unrine, J.M., W.A. Hopkins, C.S. Romanek and B.P. Jackson. 2007. Bioaccumulation of trace elements in omnivorous amphibian larvae: Implications for amphibian health and contaminant transport. Environmental Pollution 149:182-192.

Utah Department of Health. 2010. Environmental Epidemiology Program. Accessed on-line at <u>http://www.fishadvisories.utah.gov/advisories.htm#utah Utah Department of Health</u>. 2011. Utah fish advisories. <u>Division of Wildlife Resources</u> and <u>the Utah Department of Environmental Quality</u>. Accessed on-line at <u>http://www.fishadvisories.utah.gov/health_risks.htm</u>

Valentine, J.L. 1997. Environmental occurrence of selenium in waters and related health significance. Biomedical and Environmental Sciences 10:292-299.

Van Derveer, W.D., and S.P. Canton. 1997. Selenium sediment toxicity thresholds and derivation of water quality criteria for freshwater biota of western streams. Environmental Toxicology and Chemistry 16(6):1260-1268.

Van Kirk, R.W., and S.L. Hill. 2006. Demographic model predicts trout population response to selenium based on individual-level toxicity. Ecological Modelling 206:407-420.

Vendeland, S.C., J.T. Deagen and J.A. Wanger. 1994. Uptake of selenite, selenomethionine and selenate by brush border membrane vesicles isolated from rat small intestine. Biometals 7(4):305-312. Accessed on-line at http://www.ncbi.nlm.nih.gov/pubmed/7812115

Vidal, D., S.M. Bay and D. Schlenk. 2005. Effects of dietary selenomethionine on larval rainbow trout (*Oncorhynchus mykiss*). Archives of Environmental Contamination and Toxicology 49:71-75.

Vinceti, M., E.T. Wei, C. Malagoli, M. Bergomi and G. Vivoli. 2001. Adverse health effects of selenium in humans. Reviews of Environmental Health 16:233-251.

Vocke, R.W., K.L. Sears, J.J. O'Toole and R.B. Wildman. 1980. Growth responses of selected freshwater algae to trace elements and scrubber ash slurry generated by coal-fired power plants. Water Research 14(2): 141-150.

Waitkins, G.R., and C.W. Clark. 1945. Selenium dioxide: Preparation, properties and use as oxidizing agent. Chemical Reviews 36(3):235-289.

Warmer, H., and R. van Dokkum. 2002. Water pollution control in the Netherlands: Policy and practice 2001. Lelystad, NL: Institute for Inland Water Management and Waste Water Treatment. RIZA report 2022.009. 77p. Accessed on-line at

http://www.helpdeskwater.nl/algemeneonderdelen/serviceblok/english/waterguality/@1041/waterpollution/

Wayland, M., and R. Crosley. 2006. Selenium and other trace elements in aquatic insects in coal mineaffected streams in the Rocky Mountains of Alberta, Canada. Archives of Environmental Contamination and Toxicology 50:511-522.

Wayland, M., J. Kneteman and R. Crosley. 2006. The American dipper as a bioindicator of selenium contamination in a coal mine-affected stream in west-central Alberta, Canada. Environmental Monitoring and Assessment 123:285-298.

Wayland, M., R. Casey and E. Woodsworth. 2007. A dietary assessment of selenium risk to aquatic birds on a coal mine affected stream in Alberta, Canada. Human and Ecological Risk Assessment 13:823-842.

Webber, T.N. 1997. State of water quality of the Bear River at Stewart, BC 1987-1994. Victoria BC (CA): Canada-British Columbia Water Quality Monitoring Agreement, Ministry of Environment and Environment Canada. Accessed on-line at <u>http://www.env.gov.bc.ca/wat/wq/quality/bear/swqbrs.html</u>

Weech, S.A., A.M. Scheuhammer and M.E. Wayland. 2011. Selenium accumulation and reproduction in birds breeding downstream of a uranium mill in northern Saskatchewan, Canada. Ecotoxicology 21(1):280-288

Wells, F.C., G.A. Jackson and W.J. Rogers. 1988. Reconnaissance investigation of water quality, bottom sediment, and biota associated with irrigation drainage in the lower Rio Grande Valley and Laguna Atascosa National Wildlife Refuge, Texas, 1986-87. Water Resources Investigations Report 87-4277. Austin, TX (US): U.S. Geological Survey.

Wen, H., and J. Carignan. 2009. Ocean to continent transfer of atmospheric Se as revealed by epiphytic lichens. Environmental Pollution 157:2790 – 2797.

West Virginia Department of Health and Human Resources. 2011. West Virginia fish consumption advisories. Appendix C. Accessed on-line at <u>http://www.wvdhhr.org/fish/default.asp</u>

[WV DEP] West Virginia Department of Environmental Protection. 2009.Emergency rule: Requirements governing water quality standards (Title 47 Legislative Rule, Series 2). Accessed on-line at http://water.epa.gov/scitech/swguidance/standards/wqslibrary/wv_index.cfm

[WVDHHR] West Virginia Department of Health & Human Resources. 2010. Fish consumption advisories available for 2010. Accessed on-line at <u>http://www.wvdhhr.org/fish/current.asp</u>

Wetzel R.G. 2001.Limnology - Lake and river ecosystems. San Diego, CA (US): Academic Press. 1006 p.

Whanger, P.D. 1989. China, A country with both selenium deficiency and toxicity: Some thoughts and impressions. Journal of Nutrition 119(9):1236-1239.

White, D.H., J.R. Bean and J.R. Longcore. 1977. Nationwide residues of mercury, lead, cadmium, arsenic and selenium in starlings, 1973. Pesticides Monitoring Journal 11:35-39 (cited in Skorupa *et al.* 1996)

Williams Chloe April 1, 2019 From Canadian Coal Mines, Toxic Pollution That Knows No Borders, *Yale Environment 360* Published at the <u>Yale School of the Environment</u>. <u>https://e360.yale.edu/features/from-canadian-coal-mines-toxic-pollution-that-knows-no-borders</u>

Williams M.J., R.S. Ogle, A.W. Knight and R.G. Burau. 1994. Effects of sulfate uptake on toxicity in the green algae *Selenastrum capricornutum*. Archives of Environmental Contamination and Toxicology 27:449-453.

Wiramanaden, C.I.E., E.K. Forster and K. Liber. 2010. Selenium distribution in a lake system receiving effluent from a metal mining and milling operation in northern Saskatchewan, Canada. Environmental Toxicology and Chemistry 29(3):606-616.

[WHO] World Health Organization. 2003. Selenium in drinking-water: Background document for development of WHO guidelines for drinking-water quality. Report WHO/SDE/WSH/03.04/13, Geneva, SZ: World Health Organization. 13p. Accessed on- line at http://www.who.int/water_sanitation_health/dwg/chemicals/en/selenium.pdf

Wren, C.D. 1984. Distribution of metals in the tissues of beaver, racoon and otter from Ontario, Canada. Science of the Total Environment 34:177-184.

Wren, C.D., P.M. Stokes and K.L. Fischer. 1986. Mercury levels in Ontario mink and otter relative to food levels and environmental acidification. Canadian Journal of Zoology 64:2854-2859.

Wright, W.G. 1999. Oxidation and mobilization of selenium by nitrate in irrigation drainage. Journal of Environmental Quality 28:1182-1187.

Yang, G., S. Yin, R. Zhou, L. Gu, B. Yan, Y. Liu and Y. Liu. 1989. Studies of safe maximal daily dietary Seintake in a seleniferous area in China. Part II. Relation between Se- intake and the manifestation of clinical signs and certain biochemical alterations in blood and urine. Journal of Trace Elements and Electrolytes in Health and Disease 3: 123-130.

Yang, G-Q., S-Z. Wang and R-H. Zhou. 1983. Endemic selenium intoxication of humans in China. American Journal of Clinical Nutrition 37:872-881.

Yang, G-Q., and R-H. Zhou. 1994. Further observations on the human maximum safe dietary selenium intake in a seleniferous area of China. Journal of Trace Elements and Electrolytes in Health and Disease 8:159-165.

Yoshida, S. M. Haratake, T. Fuchigami and M. Nakayama. 2011. Selenium in seafood materials. Journal of Health Science 57(3):215-224.

Young, T., K. Finley, W.J. Adams, J. Besser, W.D. Hopkins, D. Jolley, E. McNaughton, T.S. Presser, D.P. Shaw and J. Unrine. 2010. What you need to know about selenium. In: W.J. Adams, M.L. Brooks, C. G. Delos, S.N. Luoma, W.A. Maher, H.M. Ohlendorf, T.S. Presser and D.P. Shaw, editors. Proceedings from the SETAC workshop on ecological assessment of selenium in the aquatic environment. Pensacola, February 2009. Boca Raton, FL (US): SETAC in collaboration with CRC Press. p.7-46.

Yu, R-Q., and W-X. Wang. 2004. Biological uptake of Cd, Se(IV) and Zn by *Chlamydomonas reinhardtii* in response to different phosphate and nitrate additions. Aquatic Microbial Ecology 35:163-173.

Yudovich, Ya.E., and M.P. Ketris. 2006. Selenium in coal: a review. International Journal of Coal Geology 67:112-126.

Zhang, L., and W-X. Wang. 2007. Size-dependence of the potential for metal biomagnification in early life stages of marine fish. Environmental Toxicology and Chemistry 26(4):787-794.

Zubel, M. 2000. Groundwater conditions of the Columbia Valley Aquifer Cultus Lake, British Columbia. Surrey, BC (CA): Ministry of Environment, Lands and Parks, Water Management. 98p. Accessed on-line at <u>http://www.env.gov.bc.ca/wsd/plan_protect_sustain/groundwater/library/cvreport.pdf</u>